



FOREST  
STEWARDSHIP  
COUNCIL  
INTERNATIONAL CENTER

BECAUSE  
FORESTS  
MATTER

# ADDENDUM to FSC Standard FSC-STD-40-004

## FSC Species Terminology

FSC-STD-40-004b (Version 1-0) EN

©2007 Forest Stewardship Council A.C.  
All rights reserved



Charles-de-Gaulle-Str. 5  
53113 Bonn, Germany  
Tel.: +49 (228) 367 66-28  
Fax: +49 (228) 367 66-30  
[policy.standards@fsc.org](mailto:policy.standards@fsc.org)  
[www.fsc.org](http://www.fsc.org)

## FSC SPECIES TERMINOLOGY

### FSC-STD-40-004b (VERSION 1-0) EN

Published December 20, 2007

©2007 Forest Stewardship Council, A.C. All rights reserved. No part of this work covered by the publisher's copyright may be reproduced or copied in any form or by any means (graphic, electronic or mechanical, including photocopying, recording, recording taping, or information retrieval systems) without the written permission of the publisher.

Please send any comments or suggestions regarding this document to:

FSC International Center  
– Policy and Standards Program –

Charles-de-Gaulle Str. 5  
53113 Bonn, Germany

Phone: +49 (228) 367 66-28

Fax: +49 (228) 367 66-30

E-mail: [policy.standards@fsc.org](mailto:policy.standards@fsc.org)

The Forest Stewardship Council (FSC) is an independent, not for profit, non-government organization based in Bonn, Germany.

The mission of the Forest Stewardship Council is to support environmentally appropriate, socially beneficial, and economically viable management of the world's forests.

FSC develops, supports and promotes international, national and regional standards in line with its mission; evaluates, accredits and monitors certification bodies which verify the use of FSC standards; provides training and information; and promotes the use of products that carry the FSC logo.

## INTRODUCTION

This document shall be used as an addendum to “FSC-STD-40-004 Version 2: FSC Standard for Chain of Custody Certification” for the purpose of classifying FSC *product groups* and/or the included products by their wood species.

The FSC *species terminology* is a compilation of the scientific and common names of tree species commonly used in the international trade, sorted according to their overall category (‘conifers’ vs. ‘deciduous’), genus/species and existing varieties.

The hardwood species terminology follows the database compiled by RICHTER, H.G., and DALLWITZ, M.J. (2000 onwards): “Commercial timbers: descriptions, illustrations, identification, and information retrieval. In English, French, German, Portuguese, and Spanish. Version: 16th April 2006” which is available online at <http://delta-intkey.com>.

The softwood species (conifers) terminology is currently based on an innovative digital tool for macroscopic wood identification and information retrieval “macroHOLZdata – computergestützte Bestimmung und Beschreibung von Nutzhölzern” developed by RICHTER, H.G. and OELKER, M. from the University of Hamburg in cooperation with the “Institut für Holzbiologie und Holzschutz” of the *Bundesforschungsanstalt für Forst- und Holzwirtschaft* (BFH).

The addendum will be updated at regularly intervals in order to reflect new scientific findings, additional translations and the increasing range of timber species available as FSC-certified.

**This document is still in an early development stage. Further information on tree species, translations and trade names as well as on CITES status will be provided with the next update in 2008.**

**For this purpose, FSC specifically welcomes comments on any additional sources of relevant information on tree species commonly used in the international trade.**

## Scientific names and common translations

NOTE: The country codes used as abbreviations of the country names where the respective species occurs are based on "ISO 3166 Code Lists - English Country Names and Code Elements".

This list can be found on the ISO homepage at:

[http://www.iso.org/iso/country\\_codes/iso\\_3166\\_code\\_lists/](http://www.iso.org/iso/country_codes/iso_3166_code_lists/)

In few cases, i.e., when regions rather than individual countries are indicated, other abbreviations are used, for instance "nAm" for North America.

### Part I: Conifers

– Conifer tree species –			
No.	Scientific Name Synonyms & additional information	Translations	CITES
<b>1</b>	<b><i>Abies</i> spp.</b>		
1a	<i>Abies alba</i> Mill.	Edeltanne, Weißtanne (DE); silver fir, silver pine, whitewood (GB); dennen (NL); sapin (FR); abete bianco (IT); pinabete (ES)	
1b	<i>Abies nordmanniana</i>		
1c	<i>Abies pectinata</i>		
<b>2</b>	<b><i>Araucaria angustifolia</i> O. Ktze</b>	pinho do paran�, pinheiro (BR); curiy (AR, PR); Parana pine (GB); Brasilkiefer (DE)	
<b>3</b>	<b><i>Cedrus</i> spp.</b>	Atlaszeder, Himalayazeder, Libanonzeder, echte Zeder (DE); cedar (GB); cedre (FR); diar, giam (IN)	
3a	<i>Cedrus atlantica</i> (Endl.) Manetti ex Carr.		
3b	<i>Cedrus deodara</i> (Roxb. ex Lamb.) G. Don		
3c	<i>Cedrus libani</i> A. Rich.		
<b>4</b>	<b><i>Tsuga</i> spp.</b>		
4a	<i>Tsuga heterophylla</i> (Raf.) Sarg	Western hemlock, hemlock spruce, Alaska pine, grey fir, silver fir, Prince Albert fir (nAm)	
4b	<i>Tsuga canadensis</i> (L.) Carr.	Eastern hemlock (nAm)	
<b>5</b>	<b><i>Larix</i> spp.</b>		
5a	<i>Larix decidua</i> Mill.	larch (GB); meleze (FR); lariks (NI); larice (IT); alerce de Europa (ES); L�rche (DE).	
5b	<i>Larix gmelinii</i>		
5c	<i>Larix sibirica</i> (Ostasien)	Sibirische L�rche (DE)	
5d	<i>Larix laricina</i>		
5e	<i>Larix occidentalis</i>	Kanadische L�rche (DE), western larch (US, CA)	
<b>6</b>	<b><i>Picea abies</i> (L.) Karst.</b>	Rotfichte, Rottanne (DE); spruce, whitewood (GB); vuren (NI); epicea (FR); abete rosso (IT)	
<b>7</b>	<b><i>Pinus</i> spp. – sektion <i>taeda</i> Pines: HARD</b>	Southern yellow pines, Southern hard pines (US); Honduras pitch pine, Nicaragua pitch pine (central America); pitch pine (general)	
7a	<i>Pinus taeda</i> L.	Loblolly Pine	
7b	<i>Pinus palustris</i> Mill.	Longleaf Pine	
7c	<i>Pinus echinata</i> Miller	Shortleaf Pine	
7d	<i>Pinus elliottii</i> Engelm.	Slash Pine	
<b>8</b>	<b><i>Pinus</i> spp. – sektion <i>strobes</i> Pines: SOFT</b>		
8a	<i>Pinus cembra</i> L.	Zirbelkiefer, Z�rbelkiefer, Arve, Zirne (DE)	
8b	<i>Pinus strobus</i> L.	Seidenkiefer, Strobe, Weymouthskiefer (DE), pin Weymouth (FR), Eastern white pine, Northern white pine, soft white pine, Weymouth pine (GB, US), Pino strobe (IT), borovice tuha (CY), bor vajmutov (former YU), simafeny� (UN)	
<b>9</b>	<b><i>Pinus radiata</i> D. Don Syn.: <i>P. insignis</i> Dougl. ex Loud.</b>	Radiata Pine, Monterey pine (US); insignis pine, radiata-, (RSF, AU, CH); pino insigne (IT)	
<b>10</b>	<b><i>Pinus sylvestris</i> L.</b>	Gemeine Kiefer, F�hre, Forle, Nordische Kiefer, Polnische Kiefer (DE); Scots pine, redwood, deal (GB); pin commun (FR); pino silvestre (IT, ES)	
<b>11</b>	<b><i>Taxus baccata</i> L.</b>	Eibe (DE); Yew (GB); if (FR); tasso (IT); melez (TU); szorch daar (IR); dakhs (nAf)	
<b>12</b>	<b><i>Thuja plicata</i> Donn.</b>	Western red cedar, giant cedar, canoecedar, redcedar, shinglewood, aborvitae (US)	
<b>13</b>	<b><i>Pseudotsuga menziesii</i> (Mirb.) Franco Syn.: <i>Pseudotsuga taxifolia</i> (Poir.) Britt.</b>	Douglasie, Douglas Tanne (DE); Douglas fir, Oregon fir, Oregon pine, Oregon spruce (nAm); Douglas vert (FR); douglasia (IT).	

## Part II: Deciduous tree species

– Deciduous tree species –			
No.	Scientific Name Synonyms & additional information	Translations	CITES
1.	<b><i>Acacia mangium</i></b>		
2.	<b><i>Acer</i> spp.</b>	Ahorn (DE), sycamore (GB), maple (US), érable (FR), acero (IT), falso plátano (ES)	
2a	<i>Acer campestre</i> L		
2b	<i>Acer pseudoplatanus</i> L		
2c	<i>Acer saccharum</i> L		
3.	<b><i>Aesculus</i> spp.</b>		
3a	<i>Aesculus hippocastanum</i> L	horse chestnut (GB); Rosskastanie (DE); maronnier d'Inde (FR); castaño de Indias, falso castaño (ES); wilde kastanje (NL); hestekastanje (N)	
3b	<i>Aesculus octandra</i> Marsh	sweet buckeye, yellow buckeye (US)	
3c	<i>Aesculus glabra</i> Willd	Ohio buckeye (US)	
3d	<i>Aesculus turbinata</i> Bl.		
4.	<b><i>Azelia</i> spp.</b>	Azelia (DE, GB, NL), doussié, doussié rouge (CAM, FR), apa (WAN), chamfuta (MOC), lingue (CI, FR), ovala (ANG), azodau (CI), (Azelia, doussié)	
4a	<i>Azelia africana</i> Smith ex Pers		
4b	<i>Azelia bella</i> Harms		
4c	<i>Azelia bipindensis</i> Harms		
4d	<i>Azelia pachyloba</i> Harms		
4e	<i>Azelia quanzensis</i> Welw		
5.	<b><i>Aglaia</i> spp.</b> incl. the formerly separate genus <i>Amoora</i>	parak, langsung (RI); bekak, pasak, segera, pak (MAL); makaasim, katong (RP); thanatka-wa (BUR); chomnay poveang (K); tasua, sangkhrat (T)	
6.	<b><i>Albizia procera</i> Benth.</b>	tall albizia (GB), (White siris); ki hiyang, wangkal, weru (RI); brown albizia (PNG); akleng parang (RP); kokko-sit, sit, sitpen (BUR); suan, thing thon (T); muong xanh (VN), (kokko)	
7.	<b><i>Alchornea triplinervia</i></b> (Spreng.) Muell. Arg. (Tapiá)	tapi'a guasu, chipa rupa (PY); tapiá, caixeta, tapiá-guaçu, tapiá-mirim, folha-de-bolo, tamanqueira, canela-samambaia, malacaxeta, taneiro, canela-raposa, boleiro, chico-rupa (BR)	
8.	<b><i>Alexa grandiflora</i></b> Ducke, <i>Alexa</i> spp. Incl.: <i>Alexa imperatricis</i> (Schomb.) Baker, <i>A. leiopetala</i> Sandwith, <i>A. wachenheimii</i> R. Ben., <i>A. bauhinaeflora</i> Ducke.	Trade and local names: melancieira (BR); haianballi (GUY); nekoe-oedoe (SME)	
9.	<b><i>Alnus</i> spp.</b>		
9a	<i>Alnus glutinosa</i> (L.) Gaertner	common alder, black alder (GB); Schwarzerle, Roterle, Gemeine Erle (DE); aune, aulne (FR); ontano nero (IT), elzen (NL)	
9b	<i>Alnus incana</i> (L.) Moench	Weißerle, Grauerle	
9c	<i>Alnus rubra</i> Bong. - Syn.: <i>A. oregona</i> Nutt.		
9d	<i>Alnus rubra</i> var. <i>pinnatisecta</i> Starker	(Western) red alder, Oregon alder (US); Amerikanische Roterle (DE)	
10.	<b><i>Alstonia</i> spp. - section <i>Alstonia</i></b>		
10a	<i>Alstonia scholaris</i> R.Br		
10b	<i>Alstonia spathulata</i> Bl		
10c	<i>Alstonia angustiloba</i> Miq		
10d	<i>Alstonia angustiloba</i> Miq. Trade		
11.	<b><i>Altingia excelsa</i> Noroña</b>		
12.	<b><i>Amburana cearensis</i></b> (Fr. Allem.) A.C. Smith Syn.: <i>Torresea cearensis</i> Fr. Allem.		
13.	<b><i>Amphimas ferrugineus</i></b> Pierre, <i>A. pterocarpoides</i> Harms		
14.	<b><i>Anacardium excelsum</i></b> (Bert. & Barb.) Skeels; Syn.: <i>A. rhinocarpus</i>		
15.	<b><i>Anacardium</i> spp.</b>		
15a	<i>Anacardium occidentale</i> L		
15b	<i>Anacardium giganteum</i> Engl		
15c	<i>Anacardium spruceanum</i> Benth		
16.	<b><i>Aningeria</i> spp.</b>	aningeria (GB), kali, aningré blanc, longhi blanc (DE, FR); aninguéri, anigré, agnégré (FR); grogoli, koandio, osam (CI), mukali (ANG), mukalla (RPC), inon, agwa (NWAN), mukangu (EAK), osan (EAU), (Aningré)	
16a	<i>Aningeria robusta</i> (A. Chev.) Aubr. Pellegr. - Syn.: <i>A. pierrei</i> (Chev.) Aubr. & Pellegr., <i>Malacantha 16b robusta</i> A. Chev., <i>Pouteria aningeri</i> Baehni, <i>Hormogyne pierrei</i> A. Chev.		
16b	<i>Aningeria altissima</i> (A. Chev.) Aubr. & Pellegr. - Syn.: <i>Hormogyne altissima</i> A. Chev., <i>Sideroxylon altissimum</i> (A. Chev.) Hutch. & Dalz., <i>Pouteria gabonensis</i> A. Chev., <i>Sideroxylon gabonense</i> H. Lec. ex Pellegr		
17.	<b><i>Anisoptera</i> spp.</b>	mersawa (DE, GB, MAL, RI, NL), krabak (DE, T), ven ven (VN), phdiec (K), bac (LAO), kaunghmu (BUR, BD), sanai, malai (RI), palosapis (RP), tenam, entenam (MAL, RI-SUM), garawa (WI), bella rosa (US)	
17a	<i>Anisoptera cochinchinensis</i> Pierre - Syn.: <i>A. cochinchinensis</i> var. <i>latifolia</i> King		
17b	<i>Anisoptera marginata</i> Korth - Syn.: <i>A.</i>		

– Deciduous tree species –			
No.	Scientific Name Synonyms & additional information	Translations	CITES
	<i>grandiflora</i> Brandis		
17c	<i>Anisoptera scaphula</i> (Roxb.) Kurz - Syn.: <i>A. glabra</i> Kurz, <i>Hopea scaphula</i> Roxb., <i>Vatica scaphula</i> Dyer		
17d	<i>Anisoptera thurifera</i> (Blanco) Bl. - Syn.: <i>A. vidaliana</i> Brandis		
18.	<b><i>Anopyxis klaineana</i></b> (Pierre) Engl. Syn.: <i>Anopyxis ealaensis</i> Sprague	bodioa (CI); kpomuisi (WAL); noudougou (CAM); bobenkusu (ZRE), (Bodioa)	
19.	<b><i>Anthocephalus chinensis</i></b> Rich. Syn.: <i>A. cadamba</i> Miq., <i>A. indicus</i> A. Rich.	kadam (MAL, trade); jaban, kelampai, sugi manai (RI); laran (MAL-Sab); selimpoh, sempayan (MAL-Swk); kaatoan bangkal (RP); gao (VN); mau-lettan-she (BUR), (Kadam)	
20.	<b><i>Antiaris</i> spp.</b>	Africa: ako (DE, CI, SN), antiaris (DE, GB), akede (CI), bonkonko (ZRE), chenchen (GH), kirundu (E Afr), mongodou, false oro (WAN), vawi, diolosso (CAM) Asia: ipoh, opas, (Ako)	
20a	<i>Antiaris africana</i> Engl.		
20b	<i>Antiaris toxicaria</i> Lesch.		
20c	<i>Antiaris welwitschii</i> Engl.		
21.	<b><i>Apuleia leiocarpa</i></b> (Vog.) Macbride Syn.: <i>Apuleia praecox</i> Mart.	yvyra pere (PY); garapa, grapiapinha, muirajuba, barajuba, muirataua, amarelinho, gema de ovo, jatai-amarelo (BR); ibira peré, grapia(apócope de grapiapuña), ibira-piapuña (RA), (Grapia, yvyra pere)	
22.	<b><i>Artocarpus</i> spp.</b> <i>A. chaplasha</i> Roxb., <i>A. elasticus</i> Reinw. ex Blume, <i>A. scortechinii</i> King. The trade timber 'terap' comprises these light weight <i>Artocarpus</i> species but may also contain timber of the related genus <i>Parartocarpus</i> and the species <i>Antiaris toxicaria</i> (Pers.) Lesch	terap, pudau (MAL); teureup (RI); antipolo (RP); ka-ok (T), (Terap)	
23.	<b><i>Artocarpus</i> spp.</b> <i>A. lanceifolius</i> Roxb., <i>A. ovatus</i> Blanco, <i>A. rigidus</i> . The trade timber 'keledang' consists of these and other heavy and dark coloured species.	keledang, selangking, beruni (MAL); selangking, tambang, basang (RI); kapiak (PNG); anubing (RP); khanun, hat, mahat (T), (Keledang)	
24.	<b><i>Aspidosperma polyneuron</i></b> Muell. Arg. Syn.: <i>Aspidosperma peroba</i> Fr. All.	palo rosa, vyvvaro mi, peroba (PY); palo rosa (RA); peroba, perova, peroba rosa, peroba margosa, peroba-rajada, peroba-açu, sobro, peroba comum, peroba-do-rio, peroba-paulista, peroba-mirim, peroba-miúda (BR), (Peroba rosa)	
25.	<b><i>Aspidosperma quebracho-blanco</i></b> Schlecht.	quebracho blanco (PY, RA), (Quebracho blanco)	
26.	<b><i>Aspidostemon</i> spp.</b>	longotra (FR, RM); longotra mena, longotra fotsy (RM)	
26a	<i>Aspidostemon louvelli</i>		
26b	<i>Aspidostemon perrieri</i>	longotra (FR, RM); longotra mena, longotra fotsy (RM)	
27.	<b><i>Astronium</i> spp.</b>	gonçalo alves (BR); gateado (YV); jobillo (MEX), (Gonçalo alves, muiracoatiara, urunday)	
27a	<i>Astronium graveolens</i>		
27b	<i>Astronium fraxinifolium</i>		
28.	<b><i>Astronium urundeuva</i></b> (Fr. Allem.) Engl.	urunde'y mi (PY); aroeira-do-sertão, urundeúva, aroeira preta, urindeúva, arindeúva (BR); urundel, urunday del noroeste, urunday-mi (RA); cuchi (BOL), (Urunde'y mi)	
29.	<b><i>Aucoumea klaineana</i></b> Pierre	okoumé (B, D, F, NL), Gaboon, Gabun, angouma, okaka (G), angum, ongoumi, moukoumi, zonga (EGu), (Okoumé)	
30.	<b><i>Autranella congolensis</i></b> (de Wild.) A. Chev.	elang, elanzok (CAM); bouanga (RCA); mfua (RPC); kungulu (ANG); mukulungu (ZRE), (Mukulungu)	
31.	<b><i>Azadirachta</i> spp.</b> Species included in the description: <i>Azadirachta excelsa</i> (Jack) Jacobs (2), <i>Azadirachta indica</i> A.H.L.Juss. (2)	(Neem)	
32.	<b><i>Bagassa guianensis</i></b> Aubl., <b><i>B. tiliaefolia</i></b> R. Ben.	tatajuba, bagassa (DE, BR), fustik (GUY), moral (EC), amap-rana, bagaceira, amoreira, garrote (BR), bagasse, bagasse jaune, bois jaune (FR, FGU), gele bagasse (NL, SME), (Tatajuba)	
33.	<b><i>Baikiaea plurijuga</i></b> Harms	Mukusi, mKusi, iGusi, iKusi (ZW); mPapa (ANG); Zambesi redwood, Rhodesian teak, Rhodesian redwood (GB, trade), (Mukusi)	
34.	<b><i>Bailionella toxisperma</i></b> Pierre Syn.: <i>Esenbeckia riedeliana</i> Engl., <i>Heliotta multiflora</i> Engl.	adjap, ayap (CAM); ayap (GQ); dimpampi (RPC); m'foi (G); muamba jaune (ZRE); African pearwood (GB), (Moabi)	
35.	<b><i>Balfouriodendron riedelianum</i></b> (Engl.) Engl.	guatambú (PY, RA); pau marfim (BR); guatambú morotó, ibirá ñoti (RA), (Guatambú)	
36.	<b><i>Bastardiopsis densiflora</i></b> (Hook. & Arn.) Hassler	loro blanco (PY); jangada-brava, algodão, vassourão (BR); peterebi-moroti, loro blanco (RA), (Loro blanco)	
37.	<b><i>Beilschmiedia</i> spp.</b> 35 species from tropical Asia and the australo-pacific region.	medang (trade); huru (RI); bagaoring (RP); kyese (BUR); chick dong (LAO), (Medang)	
38.	<b><i>Berlinia</i> spp.</b> <i>B. bracteosa</i> , <i>B. confusa</i> , <i>B. grandiflora</i> etc.	sarkpei (WAL); pocouli, melegba (CI); ekpogoi (WAN); abem, essabem (CAM); ebicara (G); m'possa (ZRE, ANG); berlinia (trade), (Ebicara)	
39.	<b><i>Bertholletia excelsa</i></b> Humb. & Bonpl.	castanha verdadeira, castanheira, c. do Pará (BR); castaña del Marañon, olla de mico (CO); Brazil nut (GB); Paranuss (DE), (Castanheira)	
40.	<b><i>Betula</i> spp</b> <i>B. verrucosa</i> = <i>B. pendula</i> commercially three types of birch timbers are distinguished:	Birke (DE), birch (GB), Berken (NL), Bouleau (FR), Abedul (ES), bishop wood, java cedar (GB); bois l'éveque (FR); gadog, gintungan, kerinjing (RI); jitung, tuai (MAL); java cedar (PNG); tuai (RP); toem, pradu-som (T); nhoi (VN).	
40a	"heavy" includes <i>B. alleghaniensis</i> - yellow birch, <i>B. lenta</i> - sweet birch, black birch, <i>B. schmidtii</i> - Japanese hard birch (onoore);		
40b	"moderately heavy": <i>B. maximowicziana</i> - Eastasian birch (saibada) and European species such as <i>B. pubescens</i> , <i>B. verrucosa</i>	European birch, common birch (GB), Berken (NL), Bouleau (FR), Abedul (ES)	
40c	"light": <i>B. papyrifera</i> - paper birch, <i>B.</i>		

– Deciduous tree species –			
No.	Scientific Name Synonyms & additional information	Translations	CITES
	<i>populifera</i> - gray birch, wire birch, <i>B. alnoides</i> - Indian birch (layang).		
41.	<b><i>Bischofia javanica</i></b> Blume	bishop wood, java cedar (GB); bois l'éveque (FR); gadog, gintungan, kerinjing (RI); jítang, tuai (MAL); java cedar (PNG); tuai (RP); toem, pradu-som (T); nhoi (VN), (Gadog)	
42.	<b><i>Bixa arborea</i></b> Huber incl. <i>Bixa orellana</i> (shrub)	urucú, u. bravo, u. da mata (BR); amato, achiote, bija, bixa, urucú (Latin America); anatto (GB); roucou (FR); Orlean-strauch (DE), (Urucú da mata)	
43.	<b><i>Bombacopsis quinata</i></b> (Jacq.) Dugand	pochote, saqui-saqui, (Pochote)	
44.	<b><i>Bowdichia</i> spp., <i>Diploptropis</i> spp. u.a.</b>	sucupira (DE, BR, GB), sapupira do campo, -preta, sebirpa, cutiuba, paricarana (BR), coeur de hors (FR), (Sucupira)	
43a	<i>Bowdichia nitida</i> Benth		
43b	<i>Bowdichia virgilioides</i> H.B.K.		
43c	<i>Diploptropis purpurea</i> (Rich.) Amsh. - Syn.: <i>Bowdichia guianensis</i> Ducke, <i>Diploptropis guianensis</i> Benth., <i>Tachigalia pupurea</i> Rich		
43d	<i>Ferreirea spectabilis</i> Fr. Allem		
45.	<b><i>Brachylaena hutchinsii</i></b> Hutch. + <i>B. merana</i> Humbert, <i>B. ramiflora</i> Humbert	muhuhu, muhugwe (DE), kipugupugo (EAK), karkarro (ETH); muhugu, mubuubu, ol-magogo, watho, mvumvo, mshenzi, (Muhuhu)	
46.	<b><i>Brachystegia</i> spp.</b> <i>B. cynometroides</i> Harms, <i>B. eurycoma</i> Harms, <i>B. leonensis</i> Hutch. & Davy, <i>B. nigerica</i> Hoyle & A.P.D. Jones, etc.	naga, ekop-naga (CAM); bogdei (WAL); tebako (LB); okwen (WAN); mendou (G); meblo (CI), (Naga, okwen)	
47.	<b><i>Brevia leptosperma</i></b> Heine	aningré, longhi (DE, FR), aninguéri, anigré, agnégré (FR), aningeria (GB), kali (DE), grogoli, koandio, osam (CI), mukali (ANG), mukalla (RPC), inon, agwa (WAN), (Aningré)	
48.	<b><i>Brosimum alicastrum</i></b> Swartz Incl. <i>Brosimum costaricanum</i>	capomo, charo amarillo, (Capomo, ramón, ojoche, muiratinga)	
49.	<b><i>Brosimum guianense</i></b> (Aubl.) Huber <i>B. tessmannii</i> Mildbr., <i>Piratineria guianensis</i> Aubl.	Schlangenholz, Zauberbaum, Buchstabenholz (DE), amourette, lettre mouchete (FR, FGU), letterhout (NL, SME), snakewood (GB), palo de oro (YV), belokoro, poevinga, peni-paia (SME), barrueh, muirapinima (BR), waira caspi, cashiba playa (PE) – (Schlangenholz, snakewood)	
50.	<b><i>Brosimum rubescens</i></b> Taub. <i>B. paraensis</i> Huber, <i>B. lanciferum</i> Ducke	muirapiranga, amap amargoso, a. rana, pau rainha, falso pau brasil (BR) Satinwood (GUY); satiné, s. rouge, s. rubane, siton paya (GuyF); satijnhout, doekaliballi (SME); bloodwood, satinwood (GB); ferolia, legno satino (IT); palo de oro (ES), (Satiné)	
51.	<b><i>Brosimum utile</i></b> (H.B.K.) Pittier	cow-tree, palo de vaca, mastate, sandé, (Sandé, palo de vaca)	
52.	<b><i>Brosimum</i> spp.</b> species included in the description: <i>Brosimum potabile</i> Ducke (2), <i>Brosimum parinarioides</i> var. <i>parinarioides</i> Ducke (1)	amapá, amapá dulce (BR), (Amapá)	
53.	<b><i>Bulnesia arborea</i></b> Engl. (Vera) <i>B. sarmientoi</i> Lorentz ex Griseb.	verawood, vera (trade); palo santo (PY, RA); ibiocaí (RA), (Palo santo)	
54.	<b><i>Buxus sempervirens</i></b> L. <i>B. macowanii</i> Oliv	Buchsbaum, Türkischer Buchsbaum, Echtes Buchsholz (DE), simsir (TR), bosso (IT), boj (ES), European boxwood, true boxwood (GB), buis (FR), Turks palmhout (NL); <i>B. macowanii</i> : Cape boxwood, East London boxwood (RSA, GB), . (Buchsbaum, box, boj)	
55.	<b><i>Cabralea canjerana</i></b> Sald. Syn.: <i>Cabralea oblongifolia</i> C.DC	cancharana, cedro rá (PY); acayara (RA); canjerana (BR), (Cancharana)	
56.	<b><i>Caesalpinia paraguariensis</i></b> (D. Parodi) Burk. Syn.: <i>Caesalpinia melanocarpa</i> Griseb.	guajakán, vyvra vera (PY); guayacán, ibirá-verá (RA), (Guajakán)	
57.	<b><i>Calophyllum brasiliense</i></b> Camb.	arary (PY); santa maria, palo de maria, leche maria, maria, (Jacareúba, palo de maria)	
58.	<b><i>Calophyllum</i> spp.</b> other <i>Calophyllum</i> species occur in tropical America and are traded under different names	bintangor (MAL, DE), bitaog, kalofilum, kamdeb, tamanu, bakokol, entangor, mentangor (MAL), ponnyet, tharapi (BUR), domba-gassa (CL), bansangal, vutalau, zarumayen (RP), vintanina (RM), palo maria (RP = <i>C. inophyllum</i> ), Alexandrien laurel (IND, nur für <i>C. inophyllum</i> ); – (Bintangor)	
58a	<i>Calophyllum floribundum</i> Hook.f.		
58b	<i>Calophyllum vitiense</i> Turrill		
58c	<i>Calophyllum papuanum</i> Laut		
58d	<i>Calophyllum inophyllum</i> L.		
59.	<b><i>Calycophyllum multiflorum</i></b> Griseb.	castelo (DE, BR); palo blanco (RA, PE, PY); ibirá-morotí (RA); verdolaga (BOL), (Castelo)	
60.	<b><i>Camptosperma</i> spp.</b>	terentang, kelinting, melumut, serentang (MAL); pauh lebi, tumbus (RI); camptosperma (PNG); nangpron, huasum sangtrang (T); nisperillo, orey, sajo (PA), (Terentang-Asia, Orey-Panama)	
60a	<i>Camptosperma auriculatum</i>		
60b	<i>Camptosperma brevipefoliatum</i>		
60c	<i>Camptosperma coriaceum</i>		
60d	<i>Camptosperma montanum</i>		
60e	<i>Camptosperma panamensis</i>		
60f	<i>Camptosperma squamatum</i>		
61.	<b><i>Canarium schweinfurthii</i></b> Engl. Syn.: <i>C. chevalieri</i> Guillaum., <i>C. occidentale</i> A. Chev., <i>C. velutinum</i> Guillaum.; similar: <i>C. euphyllum</i> , <i>C. sikkimense</i> , <i>C. aspersum</i> , etc.	aiélé (DE, FR, CI, GH, G, B), canarium (DE, GB, B, WAN), m'bili (ANG, RPC, WAL), African canarium (GB, WAN), bidikala, bidinkala, mbidikala (B, ZRE), ahie, labe (CI), abel, abeul, ovili (G), bediwunua (GH), olem (EGu), atué, botua, wotua (CAM), goekwehn (LB), elimi, ibagho (WAN), m'wafu (EAU), bobele, mubiri, mupafu (ZRE)	
62.	<b><i>Canarium</i> spp.</b>	kedongdong (SE Asia); kenari, kerantai (RI); kerantai, upi, seladah (MAL); canarium, galip (PNG); pili, pilingliitan, pagsahingin (RP); makoem (T); tram (VN), (Aielé), (Kedongdong)	

– Deciduous tree species –			
No.	Scientific Name Synonyms & additional information	Translations	CITES
	E.g. <i>Canarium hirsutum</i> Willd., <i>C. indicum</i> L., <i>C. littorale</i> Bl., <i>C. luzonicum</i> (Bl.) A. Gray. Other timbers of Burseraceae genera are equally traded as Kedondong, e.g. <i>Dacryodes</i> , <i>Garuga</i> , <i>Protium</i> , <i>Santiria</i> , <i>Scutinanthe</i> , and <i>Triomma</i>		
63.	<b><i>Cantleya corniculata</i></b> (Becc.) Howard Syn.: <i>C. nicaraguensis</i> DC., <i>Persoonia guareoides</i> Willd., <i>Amapa guianensis</i> (Aubl.) Steudel, <i>Xylocarpus carapa</i> Sprengel, <i>Granatum nicaraguense</i> (C.DC.) O. Kuntze, <i>Guarea mucronulata</i> C.DC	dedaru, bedaru, samala (MAL); bedaru, garu buwaja, tusam (RI), (Dedaru)	
64.	<b><i>Carapa guianensis</i></b> Aubl.	andiroba (DE, BR), carapa rouge (FR, FGU), carapa (GB, YV), crapwood (GB), cedro macho (CR), mas balo (CO), figueroa (EC), krappa (SME), camacari, yandiroba (BR); bateo (PA); <i>C. grandifolia</i> : African crabwood (WAfr), mugueto (RPC); <i>C. procera</i> : African crabwood (WAfr, GB), kowi (LB), okoto (RPC, ZRE), (Andiroba)	
65.	<b><i>Cariniana</i> spp.</b> <i>C. domestica</i> , <i>C. estrellensis</i> , <i>C. legalis</i> (Syn.: <i>C. brasiliensis</i> ), <i>C. multiflora</i> , <i>C. pyriformis</i>	jequitibá, j. branco, j. rosa, cachimbeira, chupa, estopeiro, pau carga (BR); yvir sapucay (PY); yesquero (BOL); abarco, chibuga (COL, nur <i>C. pyriformis</i> ); cachimbo caspi, papelillo caspi, machimango (PE); bacú (YV), (Jequitibá)	
66.	<b><i>Carpinus betulus</i></b> L.	Hainbuche, Weißbuche, Hagebuche, Hornbaum (DE), charme commun (FR), common hornbeam (GB), haagebeuke (NL), carpino bianco (IT), habr obecny (CS), grab (PL), carpen (RO), votbok (S), gyerty n (H), (Hainbuche, hornbeam)	
67.	<b><i>Carya</i> spp.</b> <i>C. tomentosa</i> (Lam.) Nutt. - Syn.: <i>Juglans tomentosa</i> Lam., <i>Carya alba</i> (Mill.) K.Koch, <i>Hicoria ovata</i> (Mill.) Britton, <i>Juglans laciniosa</i> Michx.f., <i>Hicoria glabra</i> (Mill.) Brit.; <i>C. ovata</i> (Mill.) K.Koch; <i>C. laciniosa</i> (Michx.f.) Loud.; <i>C. glabra</i> (Mill.) Sweet.	hickory (GB, NL, DE), mockernut hickory, bullnut hickory, hognut hickory, white heart hickory, true hickory (US), <i>Carya tomentosa</i> (FR), <i>hicyrytrae</i> (S), (Hickory)	
68.	<b><i>Casearia gossypiosperma</i></b> Briquet Syn.: <i>Casearia lanosperma</i> Diogo, <i>Gossypiospermum paraguayense</i> Rehder.	mbavy (PY, RA), (Mbavy)	
69.	<b><i>Casearia praecox</i></b> Griseb. Syn.: <i>Gossypiospermum praecox</i> (Griseb.) Wilson.	zapatero, naranjillo, limoncillo, lima, manzanito (YV); Maracaibo boxwood, West Indian boxwood, Venezuelan boxwood (GB, US); Maracaibo Buchs (DE); buis des Antilles, buis d'Amerique (FR); palo blanco (PR); agraceijo ©, (Zapatero)	
70.	<b><i>Castanea sativa</i></b> Mill., Syn.: <i>Castanea vesca</i> Gaertn. <b><i>Castanea</i> spp.</b>	Echte Kastanie, Esskastanie (DE), chataignier (FR), European chestnut (GB, US), Europees kastanje (NL), castagno (IT), castaño (ES), kastane (TR), schabalut (Iran), szelidgesztenye (H); <i>C. dentata</i> : chestnut (US), (Kastanie, chestnut)	
71.	<b><i>Castanopsis</i> spp.,</b> major species: <i>C. acuminatissima</i> , <i>C. argentea</i> , <i>C. javanica</i> , <i>C. tungurrut</i>	Berangan, saninten, New Guinea oak (trade); Malayan chestnut, jertek tangga kata (MAL); Philippine chestnut (RP); katia (BUR); ko (LAO); ko, ko-nam (T), (Berangan)	
72.	<b><i>Castanospermum australe</i></b> A.Cunn.	(Black bean)	
73.	<b><i>Catalpa bignonioides</i></b> Walt., <b><i>Catalpa</i> spp.</b>	bean tree, cigar tree, catalpa (common, hardy, western), Shawnee wood, Indian bean, Indian cigar (US); bois puant (FR); Trompetenbaum (DE), (Catalpa, bean tree)	
74.	<b><i>Cavanillesia platanifolia</i></b> H.B.K.	cuipo, quipo (CO, PA), (Cuipo)	
75.	<b><i>Cedrela odorata</i></b> L., <b><i>C. fissilis</i></b> Vell. <i>C. odorata</i> L. - Syn.: <i>C. mexicana</i> H. J. Roem., <i>C. glaziovii</i> DC., <i>C. guianensis</i> A. Juss.; <i>C. fissilis</i> Vell. - Syn.: <i>C. balansae</i> DC., <i>C. brasiliensis</i> A. Juss.	cedro (DE, CA, SA, BR), Central American cedar, Honuras cedar, Nicaragua cedar, Tabasco cedar (US, GB), cedar (JA), aluk (CR), calicedro (MEX), yalam (NIC), cedro amargo (YV), cédrat (FGU), red cedar (ANT), cèdre rouge (FR), cedrela, cedro colorado, cedro real, cedro salteño (RA), (Cedro)	
76.	<b><i>Cedrelinga catenaeformis</i></b> Ducke	cedrorana, iacaica, paric, yacayac (BR), tornillo (PE), (Cedrorana, tornillo)	
77.	<b><i>Ceiba pentandra</i></b> Gaertn. Syn.: <i>C. thoningii</i> A. Chev., <i>Eriodendron anfractuosum</i> DC., <i>Bombax pentandrum</i> L.	fromager (DE, FR), ceiba (DE, GB, WAN, E), Fuma (DE, B, ANG, LB, RPC, ZRE), "Baumwollbaum" (DE), cottonwood (GB), bulele (ZRE, B), enia (CI, GH), capoquier (FR), bouma, doum, ogouma (G), onyina (GH), bentegnie (SN), kankanteri (NL), araba, egungun, okha (WAN), ghe (WAN, LB) banda (WAL), polon (P); Amerika: ceiba (US, sAm), pain de seda (BR), seiba (C), kumaka (GUY), yasche (HON), ceiba blanca (CO), pochotl (MEX), ceibón, poxote (NIC), ceiba juca, ceibo jabillo (YV); Asien: imbul (CL), randoe (IND), ko, roko (KMP), kabu, mengkapas (MAL), nun (T), (Ceiba, fromager)	
78.	<b><i>Celtis occidentalis</i></b> L., <b><i>Celtis</i> spp.</b> + <i>Celtis laevigata</i> , <i>C. reticulata</i> .	<i>C. occidentalis</i> : hackberry, common hackberry, sugarberry (US); Zürgelbaum (DE); <i>C. laevigata</i> : sugarberry, hackberry, Texas sugarberry (US); <i>C. reticulata</i> : netleaf hackberry, hackberry, western hackberry (US); palo blanco (MEX), (Hackberry, sugarberry)	
79.	<b><i>Cercidiphyllum japonicum</i></b> (Sieb. & Zucc.)	katsura (JPN), (Katsura)	
80.	<b><i>Ceriops tagal</i></b> (Perr.) C.B. Robinson Syn.: <i>Ceriops candolliana</i> Wight & Arn.	bakau, engar, tangar (MAL); tingi, tonggi, tungud, palun, bido-bido (RI); prong, prong deng, plong, me (T); kabiang (BU); mada (Andaman Is.); goran, guttia, chauri (IND); tangal, tagasa, tiganan (RP); spurred mangrove (AUS); mkaka (EAT), (Bakau)	
81.	<b><i>Chlorocardium rodiei</i></b> (R.Schomb.) R.R.W. Syn.: <i>Nectandra rodiei</i> R.Schomb., <i>Ocotea rodiei</i> (R.Schomb.) Mez.	greenheart, bebere, tugul (GUY), Demerara groenhart, sipiroe (SME), viruviru (YV), Demerara greenheart, black-, brown-, yellow-, white- (GB), (Greenheart)	
82.	<b><i>Chorisia speciosa</i></b> St. Hil.	samu'u, palo borracho (PY); paneira, paneira-branca, paina de seda, barriguda, arvore-de-paina (BR); paneira (US), (Samu'u)	
83.	<b><i>Chrysophyllum gonocarpum</i></b> (Martius & Eichler) Engler Syn.: <i>Sapota gonocarpa</i> Martius & Eichler, <i>Chrysophyllum cysneiri</i> F. Allemão, <i>Chrysophyllum cearaenses</i> F. Allemão, <i>Chrysophyllum obtusifolium</i> F. Allemão, <i>Chrysophyllum persicastrum</i> Eichler, <i>Chrysophyllum lucumifolium</i> Grisebach, <i>Martiusella gonocarpa</i> (Martius & Eichler) Pierre, <i>Sideroxylon reticulatum</i> Britton, <i>Chrysophyllum lucumifolium</i> f. <i>obtusata</i> Chodat & Hassler, <i>Sideroxylon bolivianum</i> Rusby, <i>Pouteria boliviana</i> (Rusby) Baehni, <i>Chloroloma gonocarpa</i> (Martius & Eichler) Baillon ex Aubréville	(Aguai)	
84.	<b><i>Chukrasia tabularis</i></b> A.H.L. Jussieu Syn.: <i>Chickrassia tabularis</i> , <i>Chukrasia velutina</i>	surian batu, chickrassy, chittagong wood, Burma almondwood (trade); surian batu, cherana puteh, repoh, suntang puteh (MAL); yinma, tawinma, (BUR); voryong (K); nhom, nhom hin, nhom khao (T), (Surian batu)	
85.	<b><i>Cinnamomum</i> spp. Asia and Pacific</b> Ca. 50 species from Asia and the australo-pacific region	camphor wood, cinnamon (trade, GB); medang, huru (RI) keplah wangi, teja, bunsod (MAL), (Medang, cinnamon)	



– Deciduous tree species –			
No.	Scientific Name Synonyms & additional information	Translations	CITES
86.	<i>Clarisia racemosa</i> Ruiz & Pavon	Murure (BOL); guariuba, oitica amarela, o. da mata (BR); aji (CO); moral bobo, mata palo, pituca (EC); turupay amarillo (PE), (Guariuba)	
87.	<i>Copaifera langsdorfii</i> Desf.	kupa'y (PY); copaiba, copaúva, óleo-de-copaiba, pau-do-óleo (BR), (Kupa'y)	
88.	<i>Copaifera officinalis</i> L.	copaiba, palo de aceite, (Copaiba)	
89.	<i>Cordia alliodora</i> (Ruiz & Pavon) Oken	laurel blanco, pardillo, (Canalete, laurel blanco, louro)	
90.	<i>Cordia glabrata</i> (Mart.) A.DC. Syn.: <i>Gerascanthus glabrata</i> Mart., <i>Lithocardium glabratum</i> Kuntze	louro preto (BR), piquana negra, japunaqui (BO), (Louro preto, piquana negra)	
91.	<i>Cordia goeldiana</i> Huber, <i>C. sagotii</i> I.M. Johnston	freijó, frei jorge (BR), cordia wood, jenny wood, Brazilian walnut, South American walnut (US), freijó (DE, GB, NL), (Freijó)	
92.	<i>Cordia trichotoma</i> (Vell.) Arrab. ex Steudel (Peterevy)	peterevy, guajayvi hu (PY); peterebí, loro negro, peterebí hú, peterebí saiyú, loro amarillo, afata (RA); louro-pardo, louro, louro amarelo, louro-batata, louro-da-serra, peterebi, louro cascudo, cascudinho, louro do sul, louro mutamba (BR); piquana blanca (BOL); laurel negro, laurel (EC)	
93.	<i>Corylus avellana</i> L. + <i>Corylus colurna</i>	Haselnuss, <i>Corylus colurna</i> L. = Baumhasel (DE); noisetier, coudrier (FR); hazel (GB); nocciolo, avellano (IT); avellano (ES); aveleira (P); hassel (DK, S); hazelaar (NL), (Haselnuss, hazel)	
94.	<i>Cotylelobium</i> spp.	resak (MAL); resak batu (BRU); guam, resak bukit (RI); khiam (T), (Resak)	
93a	<i>Cotylelobium burckii</i>		
93b	<i>Cotylelobium lanceolatum</i>		
93c	<i>Cotylelobium melanoxydon</i>		
95.	<i>Couratari</i> spp.	(Tauari), tauari, tauary (BR, YV); wadara, w. kakawalli (GUY), ingie pipa (SME); balata blanc, maho cigarre (GUF); "Brasilianische Wildkirsche" (DE)	
95a	<i>Couratari guianensis</i> Aubl.	tauari, tauary (BR, YV); wadara, w. kakawalli (GUY), ingie pipa (SME); balata blanc, maho cigarre (GUF); "Brasilianische Wildkirsche" (DE)	
95b	<i>Couratari exigua</i> Miers		
95c	<i>Couratari macrosperma</i> A.C. Smith		
95d	<i>Couratari multiflora</i> (J.E. Smith) Eyma,		
95e	<i>Couratari oblongifolia</i> Ducke & Knuth		
95f	<i>Couratari stellata</i> A.C. Smith		
96.	<i>Couropita</i> spp.	bala de cañón (C); coco de mono (PAN); canon ball tree (GB, GUY); bosch kalabas (NL, SME); castanha de macaco (BR); "Brasilianische Wildkirsche" (DE). (Cannon-ball tree, castanha de macaco)	
96a	<i>Couropita guianensis</i> Aubl		
96b	<i>Couropita nicaraguensis</i> DC		
97.	<i>Crataegus</i> spp. Species included in the description: <i>C. azarolus</i> L. (1), <i>C. coccinea</i> L. (1), <i>C. laevigata</i> (Poir.) DC (1), <i>C. melanocarpa</i> Bieb. (1), <i>C. monogyna</i> Jacq. (1), <i>C. oxycantha</i> L. (4), <i>C. pinnatifida</i> Bunge (1)	Weißdorn (DE); hawthorn (GB, US); aubépin, noble épin (FR); bianco spino (IT); espino blanco (ES); ak diken (TR), (Weißdorn, hawthorn, may tree)	
98.	<i>Cratogeomys arborescens</i> Bl.	(MAL,RI); serugan (MAL-Sab), (Geronggang)	
99.	<i>Cryptocarya</i> spp. Description based on approximately 30 species from tropical Asia and the australo-pacific region.	medang (trade); cryptocarya (PNG); dugkatan, manayau (RP), (Medang)	
100.	<i>Ctenolophon parvifolius</i> Oliv.	mertas (trade); adau (BRU); kalek bung cung, kayu bawang, latak manuk (RI); besi besi, litho (MAL); ctenoöophon (PNG); sudiang (RP), (Mertas)	
101.	<i>Cylicodiscus gabunensis</i> (Taub.) Harms Syn.: <i>Erythrophleum gabunensis</i> Taub	bokoka, adum, okan, (Okan)	
102.	<i>Cynometra</i> spp.	(Kekatong)	
102a	<i>Cynometra malaccensis</i>		
102b	<i>Cynometramiflora</i>		
102c	<i>Cynometra elmeri</i>		
102d	<i>Cynometra inaequifolia</i>		
102e	<i>Cynometra mirabilis</i>		
103.	<i>Dactyloclados stenostachys</i> Oliv.	jongkong, (Jongkong)	
104.	<i>Dalbergia decipularis</i> Matt. & Rizz.	Bahia Rosenholz (DE), sebastião de arruda, cego machado, pau rosa, p. cravo (BR), pinkwood (US), Brazilian tulip wood (US, GB), bois de rose (FR), (Bahia Rosenholz, tulipwood)	
105.	<i>Dalbergia latifolia</i> Roxb.	Indian rosewood, sonokeling, (Indian rosewood, sonokeling)	
106.	<i>Dalbergia madagascariensis</i> Vatke	Madagascar rosewood, (Madagascar rosewood)	
107.	<i>Dalbergia maritima</i> Vig.	Grenadill (DE), African blackwood, Senegal ebony (GB, US), pau preto (MOC), babanus (SUD), mufunjo (EAU), mpingo (EAK), babanus, moghano, sibbe (ETH), atiyi (TG), (Madagascar bois de rose)	
108.	<i>Dalbergia melanoxydon</i> Guill. & Perr.	(Grenadill, African blackwood)	
109.	<i>Dalbergia nigra</i> Fr. All.	Rio Palisander, Rio Jacarandá, Brasilianisches Rosenholz (DE), palissandre Brésil, palissandre Rio (FR), Brazilian rosewood (GB), cabiúna, camboré, caviuna legitima, jacarandá, pau preto, urauna (BR), palissandro (IT), palisandro (ES), palissander Rio (NL), (Rio Palisander, Brazilian rosewood)	Annex I
110.	<i>Dalbergia retusa</i> Hemsl. + <i>D. hypoleuca</i> Pittier, <i>D. lineata</i> Pittier, <i>D. granadillo</i> Pittier	cocobolo (DE, FR, NL, GB, CO, PA), granadillo (GUA, HON, MEX, NIC), ñambar, ñambar legítimo (NIC), tampizarán (MEX), palo negro (HON), ñambar (CR), palisandro (CO), funera (ES), Nicaragua rosewood (GB), Salamanderholz, Korallen-Palisander (DE), (Cocobolo)	
111.	<i>Dalbergia spruceana</i> Benth.	Amazonas Palisander (DE), Amazonas rosewood (GB, US), jacarandá do Pará, saboarana (B)	
112.	<i>Daniellia</i> spp. <i>D. ogea</i> (Harms) Rolfe ex Holl. - Syn.: <i>D. similis</i> Craib; <i>D. klainei</i> Pierre, <i>D. oblonga</i> (Rolfe) Hutch. & Dalz.; <i>D. thurifera</i> Bennett.	Daniellia (DE); fero (DE, FR, CI); ogea (GB, WAN, GH); omugo, oziya (GB, WAN); bolengu (ZRE); eye dua, shedua; eyele (GH); nsu (CAM, EGu); singa (RPC); bungbo, besi (WAL); santan (SN); whoe, srua (LB); lonlaviol (G); copal, heyedua, singa-n'dola, (Faro)	

– Deciduous tree species –			
No.	Scientific Name Synonyms & additional information	Translations	CITES
113.	<b>Detarium senegalense</b> Gmel., <b>D. macrocarpum</b> Harms <i>D. senegalense</i> - Syn.: <i>D. heudelotianum</i> Bail	: boiré (DE, CI), mambode (DE, GUB), bodo (CI), kpuyai (WAL), bowiwasi, takyikyroa (GH), alen (G), kolei, kpay (LB), ogbogbo (WAN), tallow tree (GB); <i>D. senegalense</i> : bobode, boiré; <i>D. macrocarpum</i> : aboranzork, enouk, modhon, (Boiré)	
114.	<b>Dialium platysepalum</b> Baker + <i>D. indum</i> L., <i>D. procerum</i> (v. Steenis) Stey., <i>D. kunstleri</i> etc.	keranji, kranji (RI); velvet tamarind, tamarind plum (GB); taung-kaye (BUR); kralanh, k.lomié (K); kayi-khao, yi-thongbung (T); xoay (VT), (Keranjii)	
115.	<b>Dicorynia guianensis</b> Amsh., <b>D. paraensis</b> Benth.	angelique (DE, FR, FGU), basralocus, zandlocus, kabakally, singapetou (SME), angelica do Para, tapaiuna (BR); "tec" de la Guayana, Guayana "Teak", (Angélique, basralocus)	
116.	<b>Didelotia</b> spp. <i>D. brevipaniculata</i> J. Léonard, <i>D. idae</i> Oldeman,	gombe (CAM); bondu, ngoo, sapo, toubauouate (LB); timba (WAL); broutou (CI); angok (G), (Gombé) de Witt & J. Léonard, <i>D. letouzey</i> Pellegr., etc	
117.	<b>Dillenia</b> spp.	simpur (MAL); simpur, sempur (RI); katmon (RP); zinbyum, mai-masan (BUR); san (K); san, masan (T), (Simpoh, simpur)	
117a	<i>Dillenia excelsa</i>		
117b	<i>Dillenia grandifolia</i>		
117c	<i>Dillenia indica</i>		
117d	<i>Dillenia philippinensis</i>		
117e	<i>Dillenia papuana</i>		
117f	<i>Dillenia pentagyna</i>		
117g	<i>Dillenia pulchella</i>		
117h	<i>Dillenia reticulata</i>		
117i	<i>Dillenia salomonensis</i>		
117j	<i>Dillenienschlechteri</i>		
118.	<b>Dinizia excelsa</b> Ducke	angelim pedra verdadeiro, faveira grande, angelim falso, faveira dura, faveira ferro (BR), (Angelim vermelho)	
119.	<b>Diospyros</b> spp.	[black ebony (GB); Schwarzes Ebenholz (DE): Africa, Madagascar]	
119a	<i>Diospyros crassiflora</i> , etc.	African ebony (GB, trade); afrikanisches Ebenholz (DE); ebène d'Afrique (FR,B); ébano (P,E); abokpo, kanran, nyareti, osibin (WAN); mevini, mavini, ndou (CAM); evila (G); ngoubou, bingo (ZRE).	
119b	<i>Diospyros perrieri</i> , etc.	Madagaskar Ebenholz (DE); hazozoby, lepinga(o), mapingo (RM)	
120.	<b>Diospyros virginiana</b> L.	persimmon (US, trade) – [Helles Ebenholz]	
121.	<b>Diospyros</b> spp.		
121a	<i>Diospyros celebica</i>	Coromandel (NL); Macassar ebony (GB, trade); Makassar Ebenholz, gestreiftes Ebenholz (DE); kayu hitam, batuline, maitem, gongo moitomo (RI) – [streaked ebony, Gestreifte Ebenhölzer]	
121b	<i>Diospyros discolor</i>	kamagong (RP)	
121c	<i>Diospyros insularis</i>	New Guinea ebony (PNG, trade)	
121d	<i>Diospyros kurzii</i>	Andaman marblewood, zebrawood (IND, GB)	
121e	<i>Diospyros marmorata</i>	Andaman marblewood, zebrawood (IND, GB)	
122.	<b>Diospyros</b> spp.	[black ebony, Schwarze Ebenhölzer: Asia]	
122a	<i>Diospyros ebenum</i>	Ceylon ebony, East-Indian ebony (GB, trade); Ceylon Ebenholz (DE); kalu-wara, karun-kali, tendu, ebans, abnus (IND, CL)	
122b	<i>Diospyros melanoxylon</i>	Indian ebony (GB, trade); Indisches Ebenholz (DE); kadumberiya, tumbi, bis-tendu (IND)	
123.	<b>Dipterocarpus</b> spp.	yang (FR, T, VN), Keruing (DE), gurjun (AND, BUR, CL), dau (VN, FR), white kanyin, kanyin-byu (BUR), chhoeuteal (K), nhang (LAO), kerowing (NL), yang hin, yang na (T), dzao long (VN).	
123a	<i>Dipterocarpus alatus</i> - Syn. <i>D. incanus</i> Roxb		
123b	<i>Dipterocarpus lemeslei</i> Vesque		
123c	<i>Dipterocarpus baudii</i> Korth - Syn.: <i>D. duperreana</i> Pierre, <i>D. scortechinii</i> King		
123d	<i>Dipterocarpus grandiflorus</i> (Blanco) Blanco - Syn.: <i>D. blancoi</i> Blume, <i>D. griffithii</i> Miq., <i>D. motleyanus</i> Hook.f		
124e	<i>Dipterocarpus kerrii</i> King - Syn.: <i>D. obconicus</i> Foxw., <i>D. perturbanatus</i> Foxw., <i>D. cuneatus</i> Foxw		
125f	<i>Dipterocarpus costulatus</i> v. Slooten		
126g	<i>Dipterocarpus verrucosus</i> Foxw. ex v. Slooten		
124.	<b>Dipteryx odorata</b> (Aubl.) Willd. Syn.: <i>Coumarouna odorata</i> Aubl., <i>Dipteryx tetraphylla</i> Spruce	cumarú verdadeiro, muimapagé, champagne (BR); koemaroe, tonka (SME); gaiac cayenne (GUYf); shihuahuaco (PE); visguero, yesquero (BOL), (Cumarú)	
125.	<b>Distemonanthus benthamianus</b> Baillon	movingui (CI, Fr, WAN, DE), ayan, anyaran (GB, WAN), barré, guétalie, koa (CI), bonsamdua, duabai (GH), okpe (TG), bosong, eyen, sella (CAM), muvenghi, eyen, ogueminya (G); eyen, bien (EGu), (Movingui)	
126.	<b>Dracontomelon dao</b> (Blanco) Merr. & Rolfe  Other species of <i>Dracontomelon</i> occasionally traded as 'dao' are: <i>D. costatum</i> (Borneo, Sumatra), <i>D. lenticulatum</i> (New Guinea)	dao, Pacific walnut, New Guinea walnut (trade); dahu, sengkuang, basuong (RI); unkawang (MAL-SAR); mon, laup (PNG); dao (RP); nga-bauk (BUR); phrachao-ha-phra-ong (T), (Dao, paldao)	
126a	<i>Dracontomelon costatum</i> (Borneo, Sumatra)		
126b	<i>Dracontomelon lenticulatum</i> (New Guinea)		
127.	<b>Dryobalanops</b> spp.	kapur paji, -bukit, tepurau, sintok, amplang, oewa, padji (BOR), Oost-Borneo kamfer (NL), kapur, North Borneo kapur, Borneo camphorwood (GB), kapur, keladan (MAL), (Kapur)	

– Deciduous tree species –			
No.	Scientific Name Synonyms & additional information	Translations	CITES
127a	<i>Dryobalanops sumatrensis</i> (J.F. Gmelin) Kosterm. (Syn.: <i>D. aromatica</i> ) Gaertn.f.		
127b	<i>Dryobalanops lanceolata</i> Burck		
127c	<i>Dryobalanops camphora</i> Colebr		
127d	<i>Dryobalanops junghunii</i> Becc.		
127e	<i>Dryobalanops kayanensis</i> Becc.		
128.	<b><i>Duabanga moluccana</i></b> Blume + <i>D. grandiflora</i> (Roxb. ex DC.) Walp (Syn.: <i>D. sonneratioides</i> Buch.-Ham.)	binuang, benuang, b. laki, gayawas hutan, kalanggo (RI); magasawih, berembang bukit, magas (MAL); loktob (RP); myaukngo (BUR); dlom chloeu ter (K); phay (LAO); lamphu-pa, tum-ten, lamphaen (T), (Duabanga)	
129.	<b><i>Durio</i> spp.</b>  in addition, timbers of the genera <i>Coelostegia</i> and <i>Neesia</i> are traded as 'durian'	durian (MAL, RI, DE); punggai, durian isa (MAL) -- <i>Coelostegia</i> spp.; bengang, apa-apa (MAL) -- <i>Neesia</i> spp.. (Durian, red burong)	
129a	<i>Durio griffithii</i>		
129b	<i>Durio lowianus</i>		
129c	<i>Durio oxleyanus</i>		
129d	<i>Durio wyatt-smithii</i>		
129e	<i>Durio zibethinus</i>		
130.	<b><i>Dyera costulata</i></b> (Miq.) Hook.f. incl. <i>Dyera polyphylla</i> (Miq.) v. Steenis	yeluu-tong, luu-tong (MAL); jelutung (RI); teen-pet daeng (T), (Jelutung)	
131.	<b><i>Ecclinusa</i> spp.</b>	chicle, coquirana, guac , bartaballi, asepoko, abiurana, jaune d'oeuf, jamboka, (Ucuquirana)	
131a	<i>Ecclinusa guianensis</i>		
132a	<i>Ecclinusa lanceolata</i>		
133a	<i>Ecclinusa obovata</i>		
132.	<b><i>Elmerrillia</i> spp.</b>	(Chempaka, wau beech)	
132a	<i>Elmerrillia mollis</i> Dandy		
132b	<i>Elmerrillia ovalis</i>		
133c	<i>Elmerrillia papuana</i> Dandy		
134d	<i>Elmerrillia pubescens</i> (Merr.) Dandy		
134e	<i>Elmerrillia tsiampaca</i>		
133.	<b><i>Endospermum</i> spp.</b>	sesendok (MAL); sendok-sendok (MAL,RI); gubas (RP); PNG basswood, endospermum (PNG); terbulan (MAL-Sar); bakota (IND); kauvula (FJI), (Sesendok)	
133a	<i>Endospermum diadenum</i> (Miq.) Airy Shaw - Syn.: <i>E. malaccense</i> Benn. & Muell. Arg.		
133b	<i>Endospermum macrophylla</i> (Muell.Arg) Pax & Hoffm		
133c	<i>Endospermum medulosum</i> L.S. Smith		
133d	<i>Endospermum moluccanum</i> (Teysm. & Binn.) Kurz		
133e	<i>Endospermum peltatum</i> Merr		
134.	<b><i>Entandrophragma angolense</i></b> (Welw.) C. DC. Syn.: <i>Swietenia angolensis</i> Welw.	tiama (DE, CI, FR, ZRE, NL), edinam (DE, GH), gedu nohor, gedu lohor (GB, WAN), koupri, lokoa popo (CI), abenbegne (G), timbi (CAM), ipaki, longo, mukumi (RPC), mukuso, muyovou (EAU), kalungi, lifaki (ZRE), livuite (ANG), (Tiama)	
135.	<b><i>Entandrophragma candollei</i></b> Harms (Kosipo) Syn.: <i>Entandrophragma ferrugineum</i> A. Chev.	kosipo (DE, CI, FR), boubousson rouge, vroudi (CI), heavy sapele, omu (GB, WAN), atom-assié, klatié (CAM), lifaki (ZRE), mpempe (RPC), assoré, ikwapobo (WAN), kossipo (NL), lifuko (ANG), penkwa (GH).	
136.	<b><i>Entandrophragma cylindricum</i></b> (Sprague) Sprague Syn.: <i>E. tomentosum</i> A. Chev., <i>E. lebrunii</i> Staner.	sapelli (DE, FR, B), sapele, sapele mahagany (GB, WAN), sapeli Mahonie (NL), aboudikro (CI, FR, DE), bibitu, lotouhé, abitigbro, boubousson, pan (CI), penkwa (GH), agiekpogo, ubilesan, ukwekan (WAN), assié (CAM), lifaki (EAU), lifaki, libuyu, bobwe, m'boyo (RCA), lifuti + livuite (ANG), (Sapeli)	
137.	<b><i>Entandrophragma utile</i></b> (Dawe & Sprague) Sprague Syn.: <i>E. macrocarpa</i> A. Chev., <i>E. roburoides</i> Vermoesen, <i>E. thomasii</i> Ledoux.	sipo (DE, CI, FR), assié (FR, CAM), utile (DE, GH, GB), bada, mébrou, zuiru (CI), assi, ombolobolo, mouragalando, kos-kosi (G), efou-konkonti (GH), muyoyu (EAU), timbi, assang-assié (CAM), kalungi, m'vovo, tshimai rouge/noir (ZRE), akuk, ogipogo, ubilesan (WAN), momboyo (RPC), njeli (WAL). (Sipo, utile)	
138.	<b><i>Enterolobium contortisiliquum</i></b> (Vell.) Morong & Britton Syn.: <i>E. timbouva</i> Mart.	timbo (PY); timbó, timbó colorado, pará, cambá-cambí, timbó-pyita, t. colorado, t. cedro, oreja de negro, pacará (RA); toco, oreja de abuela (BO); tamboril, timbuva, orelha de negro (BR); timbó (PY), (Timbó)	
139.	<b><i>Eperua</i> spp.</b>	espadeira, copaiba-rana, muirapiranga (BR); wallaba, yoboko (GUY); bois de sabre, eperu, wapa (FGUY); roode walaba, bijlhout, tamoene (SME), (Wallaba)	
139a	<i>Eperua falcata</i> Aubl.		
139b	<i>Eperua jenmani</i> Oliv		
140.	<b><i>Erisma</i> spp.</b>	cambará, jaboty, j. da terra firme, quaruba-rana, q. vermelha, cedrinho (BR); singri kwari, warapa kwarie (SME); letéballi bèlèro (GUY); mureillo (YV); man onti kouali, kokopaie (GUF), (Cambará)	
140a	<i>Erisma uncinnatum</i> Warm		
140b	<i>Erisma calcaratum</i> (Link) Warm		
140c	<i>Erisma lanceolatum</i> Stafleu		
141.	<b><i>Erythrophleum ivorense</i></b> A. Chev, E. <i>guineense</i> G. Don Syn.: <i>E. micranathum</i> Harms ex Holl	tali (DE, B, CI, FR, WAN), lim du Gabon (FR), ordeal tree (GB), missanda (GB, MOC, Z), mancone (GUB), alui, atiemia, lo, méli (CI), eloun, elon (G, CAM), elondo, eyo (G), bolondo, loundi, oloun (CAM), bobala, dikassaakassa, kassa, massanda, mishenga, sasswood, ngero (RPC, ZRE), muave (MOC), erun, ibo, obo (WAN), gogwi (WAL), potrodom (GH), etsa (TG), (Tali)	

– Deciduous tree species –			
No.	Scientific Name Synonyms & additional information	Translations	CITES
142.	<i>Erythrina falcata</i> Benth.	Ceibo	
143.	<i>Eucalyptus deglupta</i> Blume	Kamerere, (Kamerere)	
144.	<i>Eucalyptus diversicolor</i> F. v. Muell. (Karri)	karri(trade, AUS)	
145.	<i>Eucalyptus globulus</i> Labill.	Blue gum, (Blue gum, "globulus")	
146.	<i>Eusideroxylon zwageri</i> Teijsm. & Binnend.	Borneo ironwood, bilian (GB); bilian, bois de fer (FR); belian, tambulian, im muk (MAL); belian, onglen, tulian, tebelian, ulin (RI); tambulian, sakan, biliran (RP), (Bilian, ulin)	
147.	<i>Fagara chiloperone</i> Engl. ex Chod. & Hassl.	Tembetary, (Tembetary hu)	
148.	<i>Fagara riedeliana</i> (Engl.)Engl. Syn.: <i>Xanthoxylum riedelianum</i> Engl.	(Tembetary sa'y ju)	
149.	<i>Fagraea</i> spp.	tembesu, tamosu, kolaki, nosu (RI); tembusu, termasuk, pedang (MAL); urung, dolo, teca (RP); anan, ananma (BUR); Burma yellowheart, ironwood (GB); tatrao (K); man pa (LAO); tam sao, kankrao, man pla (T); trai (VN), (Tembesu, tembusu)	
149a	<i>Fagraea fragrans</i> Roxb.		
149b	<i>Fagraea crenulata</i>		
149c	<i>Fagraea elliptica</i>		
149d	<i>Fagraea gracilipes</i>		
150.	<i>Fagus sylvatica</i> L.	Buche, Rotbuche, Gemeine Buche (DE), beech (US, GB), hêtre, fayard (FR), faggio (IT), beuken (NL), haya (ES), kaym (TR), rödbok (S), buk (CS, PL, RU), bökk (H), (Buche, beech, haya)	
151.	<i>Ficus</i> spp.	higuero, higerón; figueira ( trade names:) bibosi, ají, corcho (BOL); caucho (COL); cauchillo, gambo, matapalo (EC); ojí (PE), matapau (BR), (Caxinguba, bibosi)	
151a	<i>Ficus anguina</i>		
151b	<i>Ficus crassiuscula</i>		
151c	<i>Ficus glabrata</i>		
151d	<i>Ficus insipida</i>		
151e	<i>Ficus killipii</i>		
151f	<i>Ficus hartwegii</i>		
151g	<i>Ficus mathewsii</i>		
151h	<i>Ficus pertusa</i>		
151i	<i>Ficus ruiziana</i>		
151j	<i>Ficus trigona</i>		
152.	<i>Fraxinus</i> spp.	<i>F. excelsior</i> : Europäische Esche, einheimische Esche, gemeine Esche (DE), Europees essen (NL), frêne commun (FR), common ash (GB), frassino maggiore (IT), fresno comun (ES), dischbudak (TR), daban gondjeschk (Iran), sum (PK), hum (IND); <i>F. americana</i> : (Amerikanische) Weißesche (DE), (American) white ash (GB, US), frêne d'Amérique (FR); <i>F. pennsylvanica</i> : amerikanische Grünesche (DE), green ash, red ash (GB, US); <i>F. nigra</i> : Korbesche, (Amerikanische) Schwarzesche (DE), brown ash, black ash (US), frêne noir (FR), frassino negro (IT); <i>F. ornus</i> : (Ungarische) Blumenesche (DE); <i>F. mandshurica</i> : Mandschurische Esche (DE); tamo (J), (Esche, ash, fresno)	
152a	<i>Fraxinus excelsior</i> L. (Syn.: <i>F. floribunda</i> Wall.)	Europäische Esche, einheimische Esche, gemeine Esche (DE), Europees essen (NL), frêne commun (FR), common ash (GB), frassino maggiore (IT), fresno comun (ES), dischbudak (TR), daban gondjeschk (Iran), sum (PK), hum (IND);	
152b	<i>Fraxinus ornus</i> L. (Syn.: <i>Ornus europaea</i> Pers.)	Ungarische Blumenesche (DE)	
152c	<i>Fraxinus americana</i>	Amerikanische Weißesche (DE), (American) white ash (GB, US), frêne d'Amérique (FR);	
152d	<i>Fraxinus pennsylvanica</i> Marsh	amerikanische Grünesche (DE), green ash, red ash (GB, US);	
152e	<i>Fraxinus nigra</i> Marsh. (Syn.: <i>F. sambucifolia</i> Lam.)	Korbesche, (Amerikanische) Schwarzesche (DE), brown ash, black ash (US), frêne noir (FR), frassino negro (IT);	
153.	<i>Gambeya beguei</i> (Aubr. & Pell.) Aubr. & Pell., <i>Donella</i> spp. <i>Gambeya beguei</i> (Aubrev. & Pellegr.) Aubrev & Pellegr. - Syn.: <i>Chrysophyllum beguei</i> Aubrev. & Pellegr.; <i>Donella pruniformis</i> Pierre	aningré blanc, longhi blanc (DE, Fr); aninguéri, anigré, agnégré (FR); aningeria (GB); kali (DE); grogoli, koandio, osam (CI); mukali (ANG); mukalla (RPC); inon, agwa (WAN); mukangu (EAK); osan (EAU), (Aningré blanc)	
154.	<i>Gambeya</i> spp.	aningré, a. blanc, longhi, l. blanc (DE, FR); aninguéri, anigré, agnégré (FR); aningeria (GB); kali (DE); grogoli, koandio, osam (CI); mukali (ANG); mukalla (RPC); inon, agwa (WAN); mukangu (EAK); osan (Ug), (Longhi)	
154a	<i>Gambeya albida</i> (G. Don) Aubrev. & Pellegr. - Syn.: <i>Chrysophyllum albidum</i> G. Don, <i>C. millenianum</i> Engl., <i>C. kayi</i> S. Moore, <i>C. obovatum</i> A. Chev., <i>Sapota mammosa</i> Gaertn., <i>Gambeya mammosa</i> (Gaertn.) Pierre, <i>Achras sericea</i> Schumach.		
154b	<i>Gambeya delevoiyi</i> (de Wild.) Aubrev. & Pellegr. - Syn.: <i>Gambeya africana</i> Pierre, <i>Chrysophyllum africanum</i> A. DC., <i>C. delevoiyi</i> de Wild.		
154c	<i>Gambeyobotrys gigantea</i> (A. Chev.) Aubrev. - Syn.: <i>Chrysophyllum giganteum</i> A. Chev., <i>Gambeya gigantea</i> (A. Chev.) Aubrev. & Pellegr		
155.	<i>Genipa americana</i> L. incl. <i>Genipa caruto</i> H.B.K	jagua, caruto, (Jagua, genipapo)	
156.	<i>Gilbertiodendron</i> spp.	vaa (CI); sehme, sehn, smar-ne-eh (LB); ekpagoi eze (WAN); ekop, ekobem, essalem, essouleoue,	

– Deciduous tree species –			
No.	Scientific Name Synonyms & additional information	Translations	CITES
		motondo (CAM); molapa (RCA); abeum grandes feuilles (G); limbali, ditshipi, ligudu (ZRE), (Limbali)	
156a	<i>Gilbertiodendron brachystegioides</i> (Harms) Leonard		
156b	<i>Gilbertiodendron dewevrei</i> (de Wild.)		
156c	<i>Gilbertiodendron preussii</i> (Harms) Leonard		
157.	<b><i>Gilibertia cuneata</i></b> (DC.) March. Syn.: <i>Dendropanax cuneatum</i> (DC.) Dcne. & Planch	amba'y ra, ombu ra (PY, (Amba'y ra)	
158.	<b><i>Gluta</i> spp.</b>	rengas (trade); rengas kerbau jalang (MAL); rengas tembaga (RI); hekakoro (PNG); thayet-thitsi (BUR); kroeul (K); rakban (T), (Rengas)	
158a	<i>Gluta curtisii</i>		
158b	<i>Gluta papuana</i>		
158c	<i>Gluta renghas</i>		
158d	<i>Gluta wallichii</i>		
159.	<b><i>Glycydendron amazonicum</i></b> Ducke	mirindiba-doce, pau-de-casca-doce (BR), (Glícia)	
160.	<b><i>Gmelina arborea</i></b> Roxb. + <i>G. moluccana</i> (Blume) Backer ex K. Heyne	<i>gmelina</i> (trade); <i>yemane, gumhar, Malay beechwood</i> (GB); <i>yemani, mai saw</i> (BUR); <i>so, so-maeo</i> (T), ( <i>Gmelina, yemane</i> )	
161.	<b><i>Gonioma kamassi</i></b> E. Meyer Syn.: <i>Tabernaemontana kamassi</i> Eckl., <i>Gonioma kamassi</i> var. <i>brachycarpum</i> E. Meyer	kamassi, kamassiwood, Knysna boxwood, false Cape box (RSA), (Kamassi, Knysna box)	
162.	<b><i>Gonystylus</i> spp.</b>	ramin (DE, GB, MAL, RI); ahmin, kaya garu, melawis, ramin telur (MAL); lanutanbagio (RP); garu buaja (RI), (Ramin)	
162a	<i>Gonystylus bancanus</i> (Miq.) Kurz - Syn.: <i>G. miquelianus</i> Teijsm. & Binn., <i>G. bancanus</i> Gilg., <i>Aquillaria bancana</i> Miq.		
162b	<i>Gonystylus macrophyllus</i> (Miq.) Airy-Shaw		
162c	<i>Gonystylus warburgianus</i> Gilg		
163.	<b><i>Gossweilerodendron balsamiferum</i></b> (Verm.) Harms Syn.: <i>Pterygopodium balsamiferum</i> Verm.	agba (DE, FR, NL, GB, WAN); tola (FR, I, RPC, ZRE); tola blanc (FR); tola branca (DE, ANG, RPC); agbara, moboron (WAN); avulu, boana, bokuku, bolimba, ntola, ntuba, mpele, mupaka (RPC, ZRE); alop, mpele (ANG); sinedom (CAM); emolo (G), (Agba, tola)	
164.	<b><i>Gossweilerodendron joveri</i></b> Normand ex Aubrev.	tola (G); oduma (CAM), (Oduma)	
165.	<b><i>Goupia glabra</i></b> Aublet	cupiuba, cachaceiro, copiuva (BR); chaquiro, sapino, saino (CO); kabukalli, copi (GUY); goupi (GUYf); capricomia (PE); koepie (SME); congrio blanco (YV), (Cupiuba)	
166.	<b><i>Grevillea robusta</i></b> A.Cunn.	Silky oak, (Silky oak)	
167.	<b><i>Guaiacum</i> spp.</b>	(Pockholz, lignum vitae)	
168.	<b><i>Guarea</i> spp.</b>	bossé (DE, FR, B, NL, ZRE); scented or white guarea (GB, WAN); bossé claire (FR); bosasa, lisasa, dumbala (ZRE); divuiti (G); bossi, kwabohoro (GH); akuraten, obobonufua (WAN); timbi, ebangbembra, obobo (CAM); krassé, ibotou, anakué, krassain, m'bossa (CI); <i>G. thompsonii</i> : mutigbanaye (CI); black guarea (WAN); bossé foncé (FR); bolon (CAM); guarea, diambi (ZRE), (Bossé)	
168a	<i>Guarea cedrata</i> (A. Chev.) Pellegr. - Syn: <i>G. alatipetiolata</i> de Wild., <i>Trichilia cedrata</i> A. Chev		
168b	<i>Guarea laurentii</i> de Wild. - Syn.: <i>Trichilia reygaertii</i> de Wild.; <i>G. thompsonii</i> Sprague & Hutch		
169.	<b><i>Guazuma ulmifolia</i></b> Lamk.  Syn.: <i>G. tomentosa</i> H.B.K., <i>G. polybotrya</i> Cav., <i>G. bubroma</i> Tuss., <i>Theobroma guazuma</i> L., <i>Theobroma foliis serratis</i> L., <i>Diuroglossum rufescens</i> Turcz	kamba akâ (PY); imbiruçú, embirú, mutamba (BR); guácima, guácimo, cuaulote, aquiché, kabal-pixoy, pixoy, acashti, ajillá, majagua de toro, nocuana-yana, palote negro, parandesicua, tablote, tzuni, tzyui, uiguie, ya-ana, yaco granadillo, yaco de venado, zam-mi, áquich, ajya, K'olin kakaw (MEX); guácimo, g. blanco (YV); guásimo (PE); guásima (C), (Guácimo)	
170.	<b><i>Guibourtia arnoldiana</i></b> (de Wild. & Th. Dur.) J. Léonard  Syn.: <i>Copaifera arnoldianai</i> (de Wild. & Th. Dur.)	<i>mutenye</i> (DE, GB, B, FR, RPC, ZRE); <i>benge; mutene</i> (B, ZRE); <i>kouan, ogboneli</i> (CAM); <i>benzi, libengé, nténé, tungi</i> (RPC); <i>Phantasienamen: Jaspis- oder Paradies- Nussbaum</i> (DE) : <i>olivier tropical</i> (FR); <i>olive walnut</i> (GB), ( <i>Mutenye</i> )	
171.	<b><i>Guibourtia coleosperma</i></b> (Benth.) J. Léonard  Syn.: <i>Copaifera coleosperma</i> Benth. wood quite similar to 'bubinga' but traded under separate names	mushibi, copalier, Rhodesian copalwood (GB), muzaule (ZW), (Mushibi)	
172.	<b><i>Guibourtia conjugata</i></b> (Bolle) J. Léonard	<i>mutenye</i> (DE, GB, B, FR, RPC, ZRE); <i>benge; mutene</i> (B, ZRE); <i>kouan, ogboneli</i> (CAM); <i>benzi, libengé, nténé, tungi</i> (RPC); <i>Phantasienamen: Jaspis- oder Paradies- Nussbaum</i> (DE) : <i>olivier tropical</i> (FR); <i>olive walnut</i> (GB), ( <i>Black chacate</i> )	
173.	<b><i>Guibourtia ehie</i></b> (A. Chev.) J. Léonard Syn.: <i>Copaifera ehie</i> A. Chev.	ovengkol (DE, CAM, G); amazakoue (DE); amazoue, whimawe (CI); mongoy (G, EGU); anokye, ehie, hyeduanini, hyedun (GH); "palissandro" (EGU), (Amazakoue, ovengkol).	
174.	<b><i>Guibourtia</i> spp.</b>	bubinga (DE, GB, RPC, CAM); kevazingo (DE, G); essingang, noméle, okweni, owogn, simingan (CAM); ovang (G); oveng (EGU); waka (RPC, ZRE); ebana, Afrikanisches Rosenholz, African rosewood, (Bubinga)	
174a	<i>Guibourtia demusei</i> (Harms) J. Léonard - Syn.: <i>Copaifera demusei</i> Harms, <i>C. laurentii</i> de Wild.		
174b	<i>Guibourtia pellegriniana</i> J. Léonard; <i>G.</i>		

– Deciduous tree species –			
No.	Scientific Name Synonyms & additional information	Translations	CITES
	<i>tessmannii</i> (Harms) J. Léonard - Syn.: <i>Copaifera tessmannii</i> Hams.		
175.	<b><i>Guilandina echinata</i></b> (Lam.) Spreng.  Syn.: <i>Caesalpinia echinata</i> Lam.; ((locally (Brazil) on the IBAMA list of endangered plants)).	Pemambuk, Femambuk, Rotholz, Echtes Brasilholz (DE); arabutan, brasiletto, ibira-pitanga, pau Brasil, pauu rosado, pau Pemambuco, ymirapiranga (BR); legno del Brasile, legnorosso (IT); bois de Brésil, bois de fernambouc, pernambouc (FR); brazilwood (GB), (Páu brasil, Fernambuc, brazilwood)	
176.	<b><i>Heliocarpus popayannensis</i></b> Hook & Arn. Syn.: <i>Heliocarpus americanus</i> L.	amores secos, apeyva, vyvra pire hu, tapika guasu(PY); amores secos(RA), (Amores secos)	
177.	<b><i>Heritiera utilis</i></b> (Sprague) Sprague (Niangón) Syn.: <i>Tarrietia utilis</i> .	Niangón (DE, CI, GB, WAN), Nyanwen, Wishmore, Angi (DE, GB)	
178.	<b><i>Heritiera</i> spp.</b>	Mengkulang (MAL); Palapi, Teraling, Tarrietia (RI); huynh (VN); dong chem, sempong, sonloc (K); lumbayau (RP); may nhom pa (LAO), kanzo (BUR), (Mengkulang)	
178a	<i>Heritiera javanica</i>		
178b	<i>Heritiera simplicifolia</i>		
178c	<i>Heritiera borneensis</i>		
178b	<i>Heritiera elata</i>		
179.	<b><i>Hevea brasiliensis</i></b> (Willd.) Muell.Arg	hevea, Hevaru®, rubberwood (GB, DE, MAL, T, IN), Gummibaumholz (DE), seringa, seringeira (BR), kayu karet (IN), arbol de caucho (SA), (Hevarú, rubberwood)	
180.	<b><i>Hieronyma</i> spp.</b>  incl. <i>Hieronyma chocoensis</i> Cuatr., <i>H. laxiflora</i> (Tul.) Muell.Arg., <i>H. oblonga</i> Muell.Arg., <i>H. poasana</i> Standl.	llorón colorado (CR); quindu cacao, carne asada (YV), mascarey (EC); pilón (trade, Central America); suradan, suradanni (SME, GUY)	
181.	<b><i>Homalium</i> spp.</b>	Malas, aranga, Burma lancewood (GB, trade); gia, dlingsem, melmas, momala, (RI); selimbar, petaling, padang, takaliu, banisian (MAL); aranga (RP); myaukchaw, myaukugo (BUR); khen nang (LAO); kha nang (T), (Malas)	
181a	<i>Homalium foetidum</i> (Roxb.) Benth.		
181b	<i>Homalium longifolium</i> Benth.		
182c	<i>Homalium tomentosum</i> (Vent.) Benth		
182.	<b><i>Hopea</i> spp.</b>	Giam (MAL, trade); luis (BRU); yakal (RP); heavy hopea (PNG, GB); thingyan (BUR); koki (K); takhian-rak, takhian-hin (T); sao xanh (VN), (Giam)	
182a	<i>Hopea ferrea</i>		
182b	<i>Hopea forbesii</i>		
182c	<i>Hopea helferi</i>		
182d	<i>Hopea nutans</i>		
182e	<i>Hopea semicuneata</i>		
183.	<b><i>Hopea</i> spp.</b>		
183a	<i>Hopea acuminata</i>	Merawan (MAL, trade); luis, damar kemantok (BRU); damar mata kucing (RI- Sumatra); gagil (MAL, RI-Kalimantan); light hopea (PNG, GB); manggachapui (RP); koki (K); khen (LAO); thingan (BUR); takhian-thong (T); sao den (VN), (Merawan)	
183b	<i>Hopea beccariana</i>		
183c	<i>Hopea dryobalanoides</i>		
183d	<i>Hopea mengarawan</i>		
183e	<i>Hopea nervosa</i>		
183f	<i>Hopea odorata</i>		
183g	<i>Hopea sangal</i>		
184.	<b><i>Horsfieldia</i> spp.</b>	(Penarahan)	
184a	<i>Horsfieldia amygdalina</i> Warb.		
184b	<i>Horsfieldia brachiata</i> (King) Warb.		
184c	<i>Horsfieldiabraceosa</i> Hend.		
184d	<i>Horsfieldia flocculosa</i> (King) Warb.		
184e	<i>Horsfieldiadiaglabra</i> (Bl.) Warb.		
184f	<i>Horsfieldia irya</i> (Gaertn.) Warb.		
184g	<i>Horsfieldia lauterbachii</i> Warb.		
184h	<i>Horsfieldia macrocoma</i> (Miq.) Warb.		
184i	<i>Horsfieldiapilifera</i> Markgraf		
184j	<i>Horsfieldia punctatifolia</i> I.Sinclair		
184k	<i>Horsfieldia ralunensis</i> Warb.		
184l	<i>Horsfieldia spicata</i> (Roxb.) I.Sinclair var. <i>sepikensis</i> (Markgraf) I.Sinclair		
184m	<i>Horsfieldia succosa</i> (King) Warb.		
184n	<i>Horsfieldia superba</i> (Hook.f. & Thoms.) Warb.		
184o	<i>Horsfieldia wallichii</i> (Hook.f. & Thoms.) Warb.		
184p	<i>Horsfieldia trifida</i> A.C. Smith		
185.	<b><i>Hura crepitans</i></b> L., <b><i>H. polyandra</i></b> Baill.	hura, habillo., (Possum wood, habillo)	
186.	<b><i>Hymenaea courbaril</i></b> L., <b><i>Hymenaea</i> spp.</b>	courbaril (DE, FR, GB, GUY); algarrobo (BR, YV); corobore (YV); jatobá, jutabí, jutai, jutahy, fainheira (BR); locust (GB, NL); kawanari; itaiba Locust (GUY); algarroba, coapinol, ñere (MEX); guapinol (MEX, NIC, CR); avati (PA); copalier (GUY, ANT); rode locust, witte locust, West Indian locust (NL), (Jatobá, courbaril)	
187.	<b><i>Hymenolobium</i> spp.</b>	(Angelim pedra)	

– Deciduous tree species –			
No.	Scientific Name Synonyms & additional information	Translations	CITES
187a	<i>Hymenolobium elatum</i> Ducke		
187b	<i>Hymenolobium excelsum</i> Ducke		
187c	<i>Hymenolobium flavum</i> Kleinh.		
187d	<i>Hymenolobium petraeum</i> Ducke		
188.	<b><i>Ilex</i> spp.</b> incl. <i>I. amplifolia</i> , <i>I. amygdalifolia</i> , <i>I. anomala</i> , <i>I. boliviana</i> , <i>I. laurina</i> , <i>I. parviflora</i> .	holly (GB), Ilex, Stechpalme (DE), jaque blanco, j. negro	
189.	<b><i>Inga uraguensis</i></b> Hook & Arn.	inga, inga pytä(PY); inga colorado(RA)	
190.	<b><i>Intsia</i> spp.</b>  <i>I. bijuga</i> (Colebr.) O. Kuntze (Syn.: <i>Macrolobium bijugum</i> Colebr., <i>Afzelia bijuga</i> (Colebr.) A.Gray, <i>I. amboinensis</i> DC., <i>I. retusa</i> (Kurz) Merrill); <i>I. palembanica</i> Miq. (Syn.: <i>Afzelia palembanica</i> Baker, <i>A. bakeri</i> Prain, <i>A. bijuga</i> Kurz, <i>Intsia bakeri</i> Prain).	merbau (MAL); malacca teak, mirabow, Moluccan ironwood (GB); ipil, kayu besi (RI); kwila, bendora (PNG); ipil, ipil laut, malaipil (RP); tat-takun (BUR); krakas prak (K); lumpo, lumpo thale (T); hintzy (RM), (Merbau)	
191.	<b><i>Irvingia gabonensis</i></b> Baill., <b><i>Irvingia</i> spp.</b> incl. <i>Irvingia barteri</i> , <i>I. grandifolia</i>	Dika bread-tree, wild or African Mango tree (trade); meba, mueba (ZRE); botuba, bopala, etu (CAM); mombulu (RPC); dika, udika (G); agbono, ogwe, oro etc. (WAN), (Dika)	
192.	<b><i>Irvingia malayana</i></b> Oliv. incl. <i>Jacaranda acutifolia</i> H.B.K., <i>J. caroba</i> C.DC., <i>J. cuspidifolia</i> Ktze., <i>J. lasiogyne</i> Bur. & K. Schum., <i>J. micrantha</i> Cham., <i>J. mimosaeifolia</i> D. Don, <i>J. rhombifolia</i> G.F.W. Meyer, <i>J. semiserrata</i> Cham.	copaia (trade); gobaia, foeti-i (SME);, caroba, amchi ponga, arabisco; parapap (BR); tarco, jacaranda (RA); cupay, chingale; gualandai, gualanda±o (EC,PA), (Pau kijang)	
193.	<b><i>Jacaranda copaia</i></b> (Aubl.) D.Don, <b><i>Jacaranda</i> spp.</b> incl. <i>J. boliviana</i> Dode; <i>J. jamaicensis</i> C.DC. (Syn.: <i>J. insularis</i> Griseb.); <i>J. neotropica</i> Diels.; <i>J. olanchana</i> Standl. & Williams.	(Copaia)	
194.	<b><i>Juglans australis</i></b> Griseb., <b><i>Juglans</i> spp.</b>	nogal (SAM), Tropischer Nussbaum (DE), tropical black walnut (GB, US)	
195.	<b><i>Juglans</i> spp.</b>  <i>Juglans regia</i> L.  <i>Juglans nigra</i> L.	Nussbaum, Gemeiner Walnussbaum, Französisch -, Italienisch-, Kaukasisch-, Nepal-, Persisch-, Türkisch Nussbaum (DE), noyer commun (FR), walnut (GB, US), Europees noten (NL), noce (IT), geviz (TR), dié (H), nogal (ES); Amerikanischer Nussbaum, black walnut, Schwarznuss (DE), oresák cerný (CS), noyer noir (FR), American walnut (GB), American black walnut, Eastern black walnut (US), noce nero (IT), oreh crni, oreh crni (YU), Amerikaans noten (NL), nuc negru (RO), orech tschomyi (RU), feketé diá (H).	
196.	<b><i>Kalopanax pictus</i></b> (Thunb.) Nakai Syn.: <i>Kalopanax septemlobus</i> (Thunb.) Koidz., <i>K. ricinifolius</i> (Thunb.) Miq., <i>Acanthopanax ricinifolius</i> (Sieb. & Zucc.) Seem.	Sen (DE, J), sen noki, haragiri, nakoda (J), tstin (VRC), Goldrüster, Sen Esche (DE), (Sen)	
197.	<b><i>Khaya</i> spp.</b>	Afrikanisches Mahagoni, Khaya (DE), Benin-, Lagos-mahagoni (WAN), Dubini-, Axim-, Accra-, Tacoradi mahagoni (GH), n'gollon, n'dola, Kap Lopez mahagoni (G), Grand Bassam mahagoni (CI), undianunu (ANG), acajou d'Afrique (FR), African mahagoni (GB), khaya (US), Douala mahonie (NL).	
197a	<i>Khaya ivorensis</i> A. Chev.		
197b	<i>Khaya anthotheca</i> (Syn. <i>Garretia anthotheca</i> Welw.)		
197c	<i>Khaya grandifoliola</i> C.DC.		
198.	<b><i>Kokoona littoralis</i></b> Laws.	mata ulat (MAL), (Mata ulat)	
199.	<b><i>Koompassia excelsa</i></b> (Becc.) Taub.	tualang, (Tualang)	
200.	<b><i>Koompassia malaccensis</i></b> Maing.	kempas (MAL, RI, MAL.Sar., GB, NL), hampas, pah, mengris, impas, toemaling, garis, ajam (RI), (Kempas)	
201.	<b><i>Lagerstroemia balansae</i></b> Kohne incl. <i>Lagerstroemia angustifolia</i> , <i>L. cochinchinensis</i> , <i>L. duppreana</i> , <i>L. floribunda</i> , <i>L. ovalifolia</i> , <i>L. speciosa</i> (Syn.: <i>L. flos-reginae</i> )	<i>Bungur</i> (MAL, RI); <i>bang-lang</i> (K, VN); <i>jarul</i> (RI); <i>banaba</i> (RP); <i>nana</i> , <i>bentak</i> , <i>bangor</i> (IND); <i>pyinma</i> (BUR); <i>intanin</i> , <i>tabek</i> (T); <i>sralao</i> (K), (Tabek)	
202.	<b><i>Leucaena</i> spp.</b>	ipil-ipil (RP); huaxin, uaxim (Mex); koa haole (Hawaii); jumbie bean, horse tamarind, leadtree (US); white babool, nagurjun, nattu cavundal, kaniti (IND); 'Leucaena' (trade), (Guaje, ipil-ipil)	
203a	<i>Licaria leucocephala</i> (Lam.) De Wit		
203b	<i>Licaria collinsii</i> Britton & Rose		
203c	<i>Licaria esculenta</i> (DC.) Benth		
203d	<i>Licaria diversifolia</i> (Schtdl.) Benth		
203e	<i>Licaria lanceolata</i> S. Watson		
203f	<i>Licaria magnifica</i> (C.E. Hughes) C.E. Hughes		
203g	<i>Licaria matudae</i> (Zarate) C.E. Hughes		
203h	<i>Licaria multicaptulata</i> Schery		
203i	<i>Licaria pulverulenta</i> (Schtdl.) Benth.		
203j	<i>Licaria salvadorensis</i> Standl. ex Britton & Rose		
203k	<i>Licaria shannonii</i> Donn. Sm.		
203l	<i>Licaria trichandra</i> (Zucc.) Urb		
203m	<i>Licaria trichodes</i> (Jacq.) Benth.		
203.	<b><i>Licaria</i> spp.</b>	Louro, canela (BR); laurel, canela (EC, CO, RA etc.); kaneel (SME); silverballi (GUY), (Louro, canela)	
204.	<b><i>Licaria canella</i></b> (Meissn.) Kosterm. Syn.: <i>Licaria cyennensis</i>	louro, canela (BR); laurel, canela (EC, CO, RA etc.); kaneel (SME); silverballi (GUY), (Louro, canela), (Kaneelhart)	
205.	<b><i>Licaria capitata</i></b>	louro, canela (BR); laurel, canela (EC, CO, RA etc.); kaneel (SME); silverballi (GUY), (Laurel, canela)	
206.	<b><i>Licaria subbullata</i></b> Kosterm. Syn.: <i>Licaria wilhelminensis</i>	louro, canela (BR); laurel, canela (EC, CO, RA etc.); kaneel (SME); silverballi (GUY), (Louro, silverballi)	

– Deciduous tree species –			
No.	Scientific Name Synonyms & additional information	Translations	CITES
207.	<b>Liquidambar styraciflua</b> L. Another similar species from southern China and Taiwan: <i>Liquidambar formosana</i>	red gum, sweet gum, ambar wood, tassel wood (US); Amberbaum, Satin-Nuss, (DE); estoraque, liquidambar, ocozotl (MEX); satén (E, HCA), (Red gum, sweet gum)	
208.	<b>Liriodendron tulipifera</b> L.	Amerikanisches Whitewood, American Whitewood, canary (white-) wood (US); further (somewhat misleading) names: tulip wood, tulip poplar, yellow poplar, (Whitewood)	
209.	<b>Lithocarpus spp.</b>	Mempening, Chinese oak, (Mempening, Chinese oak)	
209a	<i>Lithocarpus amygdalifolius</i> (Skan) Hayata		
209b	<i>Lithocarpus cyrtorhyncha</i> (Miq.) Rheder		
209c	<i>Lithocarpus daphnoideus</i> (Bl.) A. Camus		
209d	<i>Lithocarpus henryi</i> (Seem.) Rehd.		
209e	<i>Lithocarpus soleriana</i> (Vidal) Rehd.		
209f	<i>Lithocarpus vinkii</i> Soepadmo		
210.	<b>Lonchocarpus leucanthus</b> Burk. Syn.: <i>Lonchocarpus albiflorus</i> Hassk.	yvyra ita, rabo ita (PY); rabo de macaco (RA), (Yvyra ita)	
211.	<b>Lophira alata</b> Banks ex Gaertn.f. Syn.: <i>L. procera</i> A. Chev.	azobé (DE, FR, CI, GH, WAN); bongossi (DE, CAM, WAN); ekki, eba (GB, WAN); asso, edoum, ous (CI); hendui (WAL), Kaku (GH); akélé, bang, okoa (CAM); akoga, akoura (G); aya, bonkolé (B, ZRE, RCA); red ironwood (GB), (Azobé, bongossi)	
212.	<b>Lophopetalum spp.</b>	perupok, perupuk (MAL, RI, trade); adau, dual (BRU); medang kerupuk, pasana (RI); abuab (RP); taung-yemará (BUR); phuamphrao, dimi, samet-thung (T), (Perupok)	
212a	<i>L. beccarianum</i> Pierre		
212b	<i>L. floribundum</i> Wight, <i>L. javanicum</i> (Zoll.) Turcz.		
212c	<i>L. multinervium</i> Ridley		
212d	<i>L. pachyphyllum</i> King		
212e	<i>L. pallidum</i> M. Lawson		
212f	<i>L. rigidum</i> Ridley		
212g	<i>L. subobovatum</i> King, <i>L. wightianum</i> Arn.		
213.	<b>Lovoa trichilioides</b> Harms Syn.: <i>L. klaineana</i> Pierre es Sprague	dibétou (DE, FR, CI); bibolo (DE, CAM, G); abanif, koudra, lakoa, moutchibanaie, ti-kossou (CI); dubini-biri, penkwa, tema(m)ire (GH); apop(o), Lovoa, sida (WAN), alop (CAM); bombolu, lifaki (ZRE); eyan, domingula (G); embero, nvero (EGu); Congo wood (US); "Afrikanisch Nussbaum" (DE), "Noyer d'Afrique" (FR), "African Walnut" (GB), (Dibétou)	
214.	<b>Luehea divaricata</b> Mart.	kaá oveti (PY); ivitinga, caoueti, pau-de-canga, estribeira, pau-de-estribo, ibatingui (BR); ibatinui, sota caballo, caiboti, azota caballo, Francisco Alvarez, árbol de San Francisco (RA); asoita (ROU), (Ka'a oveti)	
215.	<b>Machaerium scleroxylon</b> Tul.	caviuna, jacarandá, pau ferro (BR); morado (BOL); Santos Palisander (DE); palissandre de Santos (FR), (Santos Palisander, morado)	
216.	<b>Maclura tinctoria</b> (L.) D. Don ex Steud. Syn.: <i>Chlorophora tinctoria</i> (L.) Gaudich.	tata jyva, tata-yva (PY); mora amarilla (RA); taiúva, amoreira, tatajuba, limão- rana, amarelinho, moreira, tatajiba, tajuba (BR); moral fino, sota (EC); mora (NIC); brazil, mora, morillo (CR); mora, mora amarilla, palo mora (BOL); dinde, dinde fustete, avinge, palo amarillo, palo moro, moral fustete, morita, palo de mora (CO); insira caspi, limulana (PE); mora, moral amarillo (YV); palo negro (GCA); mora, moral, palo de mora, chichiti, lun-da-e-quec, fustic, mora amarilla, moral liso, mora lisa, moral de clavo, moradilla, palo moral, moral amarillo, yaga-huil, ya-hui, tzitzi, tzizil, chijhijitli, palo amarillo(MEX); mora, moral de loma (C); palo naranjo (ES); yellow wood (US); murier de tinturies, bois jaune (FR); echter fustic, cubaholz (DE), (Fustic, moral)	
217.	<b>Madhuca spp.</b>	bitis, nyatoh batu (MAL, RI), . (Bitis)	
217a	<i>Madhuca aspera</i> H.J. Lam		
217b	<i>Madhuca bejandii</i> Aubr		
217c	<i>Madhuca betis</i> (Blanco) MacBride		
217d	<i>Madhuca latifolia</i> (Roxb.) MacBride		
217e	<i>Madhuca longifolia</i> (Koenig) MacBride		
217f	<i>Madhuca nerifolia</i> (Moon) H.J. Lam		
217g	<i>Madhuca pasquieri</i> (Dubard) H.J. Lam		
217h	<i>Madhuca philippinensis</i> Merr.		
217i	<i>Madhuca pierreii</i> (Williams) H.J. Lam		
217j	<i>Madhuca sericera</i> H.J. Lam		
217k	<i>Madhuca utilis</i> (Ridley) H.J. Lam		
218.	<b>Malacantha alnifolia</b> Pierre	aningré, longhi blanc, aninguéri, anigré, agnégré (FR), Anigeria (GB), kali (DE), grogoli, koandio, osam (CI), mukali (ANG), mukalla (RPC), inon, agwa (WAN), (Aningré blanc)	
219.	<b>Mammea africana</b> Sabine Syn.: <i>Ochrocarpus africanus</i> (Sabine) Oliv.	Djimbo (CI); bom pegya (GH); ologbomidu (WAN); abotzok (CAM); oboto, ebornzork (G); m'bossi, libu (RPC); bokoli, m'boza, boliki (ZRE); mammee-apple (GB); abricotier d'Afrique (FR), (Oboto)	
220.	<b>Mangifera indica</b> L., <b>Mangifera spp.</b>	Machang (MAL); sepam, tiger wood, figured asam (MAL,RI); asam (MAL-Sab); mangga, mango (IND), (Machang)	
221a	<i>Mangifera foetida</i>		
221b	<i>Mangifera caloneura</i>		
221c	<i>Mangifera altissima</i>		
221e	<i>Mangifera salomonensis</i>		
221f	<i>Mangifera mucronulata</i>		
221.	<b>Manilkara bidentata</b> (A.DC.) A.Chev. Syn.: <i>Mimusops bidentata</i> A.DC., <i>Mimusops huberi</i> Ducke, <i>Mimusops elata</i> Fr.Allem., <i>Manilkara bidenta</i> (A.DC.) Chev. ssp. <i>surinamensis</i> (Miq.)	massaranduba, m. verdadeiro, m. araua, balata maparajuba (BR), purguo morado (YV), bulletrie (SME), quinilla, ansubo (PE), (Massaranduba)	



– Deciduous tree species –			
No.	Scientific Name Synonyms & additional information	Translations	CITES
	Pennington, <i>Manilkara elata</i> (Fr. Allem.) Monachino, <i>Manilkara huberi</i> (Ducke) A. Chev.		
222.	<b><i>Manilkara</i> spp.</b>	sawo (RI); sawah (MAL); duyok-duyok (PI); sner (PNG); khayah rgn (BUR), (Sawo)	
222a	<i>Manilkara kauki</i> (L.) Dubard,		
222b	<i>Manilkara celebica</i>		
222c	<i>Manilkara fasciculata</i>		
222d	<i>Manilkara hexandra</i>		
222e	<i>Manilkara kanosensis</i>		
223.	<b><i>Mansonia altissima</i></b> (A. Chev.) A. Chev. Syn.: <i>Achantia altissima</i> A. Chev.	mansonia (DE, GB), bété (DE, GB, FR, CI, CAM), ofun, odo, urodo (WAN), aprono (GH), bodua (CI), (Mansonia, Bété)	
224.	<b><i>Maquira sclerophylla</i></b> (Ducke) C.C. Berg (Muiratinga) Syn.: <i>Oldmedioperebea sclerophylla</i>	muiratinga (BR, DE), pau tanino, pau de indio (BR)	
225.	<b><i>Melia azedarach</i></b> L.	melia (trade); paraíso (BR, RA, PAR); mindi, jempinis, geringging (RI); tamaga (BUR); bakainu (NEP); bakan, denkan (IN), (Paraíso, persian lilac)	
226.	<b><i>Mesua ferrea</i></b> L.	penaga (MAL), (Penaga)	
227.	<b><i>Mezilaurus</i> spp.</b>	<i>M. itauba</i> : itaúba, i. preta, i. vermelha, i. amarela, louro itaúba; <i>M. lindaviana</i> : itaúba abacate (BR), (Itauba)	
227a	<i>Mezilaurus itauba</i> (Meissn.) Taub. ex Mez	itaúba, i. preta, i. vermelha, i. amarela, louro itaúba	
227b	<i>Mezilaurus lindaviana</i> Schw. & Mez	itaúba abacate (BR)	
228.	<b><i>Microberlinia brazzavillensis</i></b> A. Chev., <i>M. bisulcata</i> A. Chev.	zebrano, zingana (DE, G, CAM), amouk, allen ele (CAM), izingana (G), enuk-enug (EGU), African zebra wood (GB), (Zebrano)	
229.	<b><i>Mildbraediodendron excelsum</i></b> Harms	bolélembé, bolélélembé (ZRE); muyati (EAU), (Muyati)	
230.	<b><i>Milicia excelsa</i></b> (Welw.) C.C. Berg Syn.: <i>Chlorophora excelsa</i> (Welw.) Benth., <i>Morus excelsa</i> Welw.	Iroko (DE, FR, GB, NL, WAN), Kambala (G, RPC, ZRE), Odum (GH, CI), Abang, Bang (CAM), Amoreira (ANG), Chamfutu (MOC), Semli (WAL, LB), Rokko (WAN), Lusanga (ZRE), (Iroko, kambala)	
231.	<b><i>Millettia laurentii</i></b> De Wild.	wengé (DE, B, FR, GB, NL, ZRE), nson-so (G), awong (CAM), n'toko, n'gondou (RPC), dikela, kiboto, mboto, monkonge, mundambi, bokonge, tshikalakala (ZRE), (Wengé)	
232.	<b><i>Millettia stuhlmannii</i></b> Taub.	panga panga (DE, EAF), jambire (MOC), mpande, partridge wood (EAT), (Panga panga)	
233.	<b><i>Minquartia guianensis</i></b> Aublet incl. <i>Minquartia punctata</i> (Radlk.) Sleumer.	manwood (NIC, PA); macaa, lamincouaru (GUYf); huacapú (PE); pachiche (EC); acariquara, acaricorana, acariúba (BR), (Acariquara, manwood)	
234.	<b><i>Mitragyna</i> spp.</b> Syn.: <i>M. macrophylla</i> Hiern earlier maintained under <i>Hallea</i> spp.	abura (DE, FR, GH, GB), bahia (B, CI, FR), elelome (CAM), subaha (GH), vuku (CI), woda (ETH)	
234a	<i>Mitragyna stipulosa</i> O. Kuntze (Abura)		
234b	<i>Mitragyna ciliata</i> Aubrév. & Pellegr.		
235.	<b><i>Mouriri</i> spp.</b>	perhuetamo, guarotaro, komotolie, claro, (Pau ripa)	
235a	<i>Mouriri crassifolia</i>		
235b	<i>Mouriri ficoides</i>		
235c	<i>Mouriri huberi</i>		
236.	<b><i>Myrcianthes pungens</i></b> (Berg.) Legrand	(Guaviju)	
237.	<b><i>Myristica</i> spp.</b>	(Penarahan)	
237a	<i>Myristica buchneriana</i> Warb		
237b	<i>Myristica elliptica</i> Wallich ex Hook.f. & Thomson		
237c	<i>Myristica gigantea</i> King		
237d	<i>Myristica iners</i> Blume		
237e	<i>Myristica lowiana</i> King		
237f	<i>Myristica maingayi</i> Hook.f.		
237g	<i>Myristica maxima</i> Warb		
237h	<i>Myristica simiarum</i> A.DC		
238.	<b><i>Myrcarpus frondosus</i></b> Fr. Allem	incienso, yvyra paje, kavure'y (PY); cabriúva-parda, bálsamo, bálsamo cabureiba, miroé, óleo-de-caboreiba, óleo-pardo, caboré, cabriúva-preta, óleo vermelho, cabriúna, miroé (BR); incienso colorado, incienso negro, incienso amarillo, incienso blanco, ivirapayó (RA); incienso (ROU); common sassafras, sassafras (US), (Incienso)	
239.	<b><i>Myroxylon</i> spp.</b>	cabriúva vermelha, bálsamo, sangue de gato, óleo vermelho (BR); incienso, i. colorado, quina (RA, PAR); estoraque, quina-quina (PE); sândalo (EC); bálsamo de tolu (CO), (Bálsamo)	
239a	<i>Myroxylon balsamum</i> Harms		
239b	<i>Myroxylon peruiferum</i> L.		
240.	<b><i>Nauclea diderrichii</i></b> Merrill Syn.: <i>N. trillesii</i> Merill, <i>N. badi</i> Aubrév., <i>Sarcocephalus diderrichii</i> De Wild. & Th. Dur., <i>S. trillesii</i> Pierre, <i>S. badi</i> Aubrév., <i>S. xanthoxylon</i> A. Chev.	biilinga (DE, G, FR, NL, EGU), opepe (WAN, GB, B), badi, sibo, bedo, ekusamba (CI), kusia (GH), akondok, eke, aloma (CAM), bonkangu, gulu maza (ANG, ZRE), mokese (UBA), kilingi (EAU)	
241.	<b><i>Nectandra lanceolata</i></b> Nees Syn.: <i>N. lanceolata</i> Nees var. <i>grandifolia</i> Mez, <i>Nectandra lanceolata</i> Nees var. <i>parvifolia</i> Mez, <i>Nectandra lanceolata</i> Nees var. <i>paraguariensis</i> Hassler.	laurel moroti, laurel (PY); ayuí-saiyú, canela loro, laurel canela, laurel amarillo, canela, canela de brejo (RA); canela, canela amarela, canela bosta, canela branca, louro, canela fedorenta, espora-de-galo, canela-da-várzea, canela vermelha (BR), (Laurel moroti)	
242.	<b><i>Nectandra megapotamica</i></b> (Sprengel) Mez Syn.: <i>Tetranthera megapotamica</i> Sprengel, <i>Nectandra saligna</i> Nees, <i>Oreodaphne tweediei</i> Meissner var. <i>cymulosa</i> Meissner, <i>Nectandra saligna</i> Nees var. <i>obscura</i> Meissner, <i>Nectandra racemifera</i> Meissner, <i>Nectandra tweediei</i> (Meissner) Mez, <i>Nectandra briquetii</i> Hassl., <i>Nectandra membranacea</i> Hassl., <i>Nectandra membranacea</i> Hassl. var. <i>saligna</i> (Nees) Hassl., <i>N. membranacea</i> Hassl. var. <i>saligna</i> (Nees) Hassl. forma <i>floribunda</i> Hassl.	(Laurel negro)	
243.	<b><i>Neobalanocarpus heimii</i></b> (King) Ashton	chengal (DE, GB, NL, MAL), chingal, penak (MAL), takien chan (T), (Chengal)	

– Deciduous tree species –			
No.	Scientific Name Synonyms & additional information	Translations	CITES
	Syn.: <i>Balanocarpus heimii</i> King, <i>B. wrayi</i> King, <i>B. accuminatus</i> Heim. Trade and local names: chengal (D, GB, NL, MAL), chingal, penak (MAL), takien chan (T)		
244.	<b><i>Nesogordonia papaverifera</i></b> (A. Chev.) R. Capuron Syn.: <i>Cistanthera papaverifera</i> A. Chev. Trade and local names: kotibé (CI, B), danta (GB, GH, NL, WAN), kissinhungo (ANG), ahia, baka (CI), olborbora (G), akuma, olborbora (G), akuma, apru, epro (GH), ovoué (CAM), tsanva (RPC), otutun (WAN), naougua (ZRE), (Kotibé)	kotibé (CI, B), danta (GB, GH, NL, WAN), kissinhungo (ANG), ahia, baka (CI), olborbora (G), akuma, apru, epro (GH), ovoué (CAM), tsanva (RPC), otutun (WAN), naougua (ZRE), (Kotibé)	
245.	<b><i>Nothaphoebe</i> spp.</b>	medang, (Medang)	
245a	<i>Nothaphoebe archboldiana</i>		
245b	<i>Nothaphoebe elata</i>		
245c	<i>Nothaphoebe kingiana</i>		
245d	<i>Nothaphoebe malabonga</i>		
245e	<i>Nothaphoebe malayphoebe</i>		
245f	<i>Nothaphoebe panduriformis</i>		
245g	<i>Nothaphoebe spathulata</i>		
245h	<i>Nothaphoebe umbelliflora</i>		
246.	<b><i>Nothofagus</i> spp.</b>	<i>N. dombeyi</i> : coigue (DE, RCH, RA); "Feuerland-Kirsche" (DE); <i>N. procera</i> : rauli (DE, GB, RA, RCH), Chilean "beech", South American "beech" (US); <i>N. obliqua</i> : roble, pellin, roble pellin (DE, RCH, RA); <i>N. pumilio</i> : lenga, roble blanco (DE, RCH, RA, (Coigue, rauli, lenga)	
246a	<i>Nothofagus dombeyi</i> (Mirb.) Oerst	coigue (DE, RCH, RA); "Feuerland-Kirsche" (DE)	
246b	<i>Nothofagus procera</i> (Poepp. & Endl.) Oerst. (Syn.: <i>N. nervosa</i> (Phil.) Dim. & Mil.), <i>Nothofagus procera</i> (Poepp. & Endl.) Oerst. (Syn.: <i>N. alpina</i> (Poepp. & Endl.) Oerst, <i>Fagus procera</i> Poepp. & Endl.)	raulil (DE, GB, RA, RCH), Chilean "beech", South American "beech" (US)	
246c	<i>Nothofagus obliqua</i> (Mirb.) Oerst. (Syn.: <i>N. obliqua</i> Bl.)	roble, pellin, roble pellin (DE, RCH, RA)	
246d	<i>Nothofagus pumilio</i> (Poepp. & Endl.) Krasser (Syn.: <i>Fagus pumilio</i> Poepp. & Endl.)	lenga, roble blanco (DE, RCH, RA)	
247.	<b><i>Nothofagus menziesii</i></b> Oerst. Syn.: <i>Fagus menziesii</i> Hook.	silver "beech", southland "beech" (NZ), (Silver beech)	
248.	<b><i>Nyssa</i> spp.</b>	(Tupelo)	
248a	<i>Nyssa aquatica</i> L.		
248b	<i>Nyssa ogeche</i> Batr.		
248c	<i>Nyssa sylvatica</i> Marsh		
249.	<b><i>Ochanostachys amentacea</i></b> Masters Syn.: <i>O. bancana</i> (Becc.) Valetton, <i>Petalinia bancana</i> Becc.	petaling, petikal, ampalang, empilung (RI); petaling, mentalai, petikal, tanggal (MAL), (Petaling)	
250.	<b><i>Ochroma lagopus</i></b> Sw. (Balsa) Syn.: <i>O. pyramidale</i> Urb., <i>O. boliviana</i> Rowlee, <i>O. concolor</i> Rowlee, <i>O. grandiflora</i> Rowlee, <i>O. limonensis</i> Rowlee, <i>O. obtusa</i> Rowlee, <i>O. peruviana</i> Johnston, <i>O. velutina</i> Rowlee	balsa (cAm, sAm, DE, US, GB, FR, NL), tami (BOL), topa (PE), lano, tacarigua (YV), enea, pung (CR), gatillo, polak (NIC), guano (HON), gonote, maho (MEX), corkwood (GUY), cajeto, tanbor (GUA).	
251.	<b><i>Ocotea puberula</i></b> (Rich.) Nees Syn.: <i>Ocotea baturitensis</i> Vattimo, <i>O. martiniana</i> (Nees) Mez, <i>O. paraensis</i> Coe-Teixeira, <i>O. paranapiacabensis</i> Coe-Teixeira, <i>O. puberula</i> var. <i>truncata</i> (Meissn.) Mez, <i>O. pyramidata</i> Blake ex Brandegee, <i>O. subglabrata</i> Benoist, <i>O. ucalayensis</i> O. C. Schmidt <i>Oreodaphne acutifolia</i> var. <i>latifolia</i> Nees, <i>Oreodaphne hostmanniana</i> Miq. <i>Oreodaphne martiniana</i> var. <i>latifolia</i> Meissn., <i>Oreodaphne warmingii</i> Meissn. <i>Strychnodaphne puberula</i> Nees & Mart. ex Nees,	laurel guaika, guaika (PY); guaica, canela-sebo, canela-parda, canela-de-corvo, canela-pimenta, canela pinho (BR); guaika blanca, guaica, canela guaica (RA); moraja kaspi (PE); keretiballi (SME)	
252.	<b><i>Ocotea rubra</i></b> Mez Syn.: <i>Nectandra rubra</i> (Mez) C.K. Allen.	louro vermelho, puxurí-rana (BR), determa (GUY), wane (NL, SME), taparin, bewana, tetroema, wonae (SME), grignon, g. franc (FR), red louro (GB), (Louro vermelho, wane)	
253.	<b><i>Octomeles sumatrana</i></b> Miq. (Binuang) Syn.: <i>O. moluccana</i> Teijsm. & Binnend. ex Hassk.	benuang, winuang, binuang bini (RI); erima, irima, ilimo (PNG); bilus, barong, barousan (RP)	
254.	<b><i>Olea europea</i></b> L.	Olive (DE); olive wood (GB); olivier (FR); olivastro (IT); acebuche (ES); zeitun (NAF); sejitun (IR), (Olive)	
255.	<b><i>Oxystigma</i> spp.</b>	tchitola, kitola (RPC); lolagbola (WAN); emola, m'babou (G); tshibudimbu, akwakwa (ZRE); tola chinfuta (ANG), (Tchitola)	
255a	<i>Oxystigma oxyphyllum</i> (Harms) J. Léonard		
255b	<i>Oxystigma buchholzii</i> Harms		
255c	<i>Oxystigma gilbertii</i> J. Léonard		
255d	<i>Oxystigma mannii</i> (Oliv.) Harms		
256.	<b><i>Palaquium</i> spp.</b>	nyatoh (MAL, RI, DE); chay (VN); pencil cedar, red planchonella (PNG); pali (IND); nato (RP); kha-nunnok (T); riam, jangka (MAL-Sar); hangkang, balam teuing putih, balam masin, kayu tanjung hutan, mayang, taban (MAL, RI); moordooke (AUS), (Nyatoh)	
256a	<i>Palaquium hexandrum</i>		
256b	<i>Palaquium hispidum</i>		
256c	<i>Palaquium impressinervium</i>		
256d	<i>Palaquium maingayi</i>		
256e	<i>Palaquium obovatum</i>		
256f	<i>Palaquium regina-montium</i> ,		
256g	<i>Palaquium semaram</i>		

– Deciduous tree species –			
No.	Scientific Name Synonyms & additional information	Translations	CITES
256h	<i>Palaquium sumatranum</i>		
256i	<i>Palaquium walsurifolium</i>		
257.	<b><i>Paraserianthes falcata</i></b> (L.) Nielsen Syn.: <i>Albizia falcata</i> , <i>A. falcataria</i> , <i>A. moluccana</i> .	batai, jeungjing, sengon laut, sika (RI); kayu machis (MAL-Sar); white albizia (PNG); Moluccan sau, falcata (PI), (Jeungjing)	
258.	<b><i>Parashorea</i> spp.</b>  NOTE: This timber group is not to be mixed up with the trade timber 'white meranti' (Shorea/anthoshorea)	<i>light weight timbers: Weißes seraya, w. lauan (DE); white seraya, urat mata (MAL-Sab); seraya puteh (MAL-Sar); white lauan, bagtikan (PI); pendan (RI). heavy timbers: heavy white seraya, urat mata batu (MAL-Sab), gerutu, meranti gerutu (MAL); khai kheo, khiansai (T); thinkadu, tavoy wood (BUR); cho chi (VN); may nao (LAO);</i>	
258a	<i>Parashorea macrophylla</i> , <i>P. malaanonan</i> , <i>P. tomentella</i> [Light weight timbers]	<i>Weißes seraya, w. lauan (DE); white seraya, urat mata (MAL-Sab); seraya puteh (MAL-Sar); white lauan, bagtikan (PI); pendan (RI).</i>	
258b	<i>P. aptera</i> , <i>P. densiflora</i> , <i>P. lucida</i> , <i>P. parviflora</i> , <i>P. smythiesii</i> , <i>P. stellata</i> [heavy timbers]	<i>heavy white seraya, urat mata batu (MAL-Sab), gerutu, meranti gerutu (MAL); khai kheo, khiansai (T); thinkadu, tavoy wood (BUR); cho chi (VN); may nao (LAO);</i>	
259.	<b><i>Patagonula americana</i></b> L.	guajayvi (PY); guaiuvira, guaiabira, guajivira, guarapuvira, guajuvira, guaraiúva, guajuvira-branca (BR), (Guajayvi)	
260.	<b><i>Paulownia tomentosa</i></b> (Thunb. ex Murr) Steud Syn.: <i>Paulownia imperialis</i> Sieb. & Zucc	: kiri, shima-giri (J); Paulownia (trade), . (Kiri)	
261.	<b><i>Payena</i> spp.</b>	nyatoh (lighter weight species: guttah, mayang (MAL); riam (MAL-Sar); nato (RP); kanzwe (BUR); phikun-pa (T); bitis; heavy species: : nyatoh batu (MAL)	
161a	<i>Payena acuminata</i> (Blume) Pierre		
161b	<i>Payena leerii</i>		
161c	<i>Payena lucida</i>		
161d	<i>Payena lanceolata</i>		
161e	<i>Payena maingayi</i>		
161f	<i>Payena obscura</i>		
262.	<b><i>Peltophorum vogelianum</i></b> Walp.	yvyrapyta (PY); canafistula (RA); guarucaia (BR), (Yvyra pyta)	
263.	<b><i>Pentace</i> spp.</b>	melunak, balong ayan, baru, pinang, siasat, takalis, tassiet, (Melunak)	
263a	<i>Pentace adenophora</i> Kosterm		
263b	<i>Pentace bracteolata</i>		
263c	<i>Pentace curtisii</i> King		
263d	<i>Pentace laxiflora</i> Merr.		
263e	<i>Pentace macrophylla</i>		
263f	<i>Pentace triptera</i> Mast		
264.	<b><i>Pera glabrata</i></b> (Schott) Baill.	pilón rosado (PY), (Pilón rosado)	
265.	<b><i>Pericopsis elata</i></b> (Harms) van Meeuwen Syn.: <i>Afromosia elata</i>	afromosia (DE, GB, WAN), krokodua (B, GH), assamela (CI, FR), obang (CAM), bohala, wahala (RCA), (Afromosia, kokrodua)	Annex II
266.	<b><i>Peronema canescens</i></b> Jack Syn.: <i>Peronema heterophyllum</i> Miq.	sungkai, jati putih, j. sabrang, j. londo, kurus (RI); sukai, cherek (MAL), (Sungkai)	
267.	<b><i>Phellodendron amurense</i></b> Rupr., <b><i>Phellodendron</i> spp.</b> Syn.: <i>Peronema heterophyllum</i> Miq.	Amur cork tree, cork tree (GB); Korkbaum (japanischer, mandschurischer) (DE); kihada (J); hwangbyeog-namu (ROK, (Amur cork tree)	
268.	<b><i>Phyllostylon brasiliensis</i></b> Capanema (Baitoa)	San Domingo boxwood, West Indian boxwood (GB, US); baitoa, bois blanc (DOM); bois blanc (RH); jatia (C); seron, cerón (MEX); membrillo ((YV); pao branco (BR); palo lanza, p. blanco, p. amarillo, ibirá-catá, tala grande (PY, RA).	
269.	<b><i>Piptadenia macrocarpa</i></b> Benth. Syn.: <i>Anadenanthera macrocarpa</i> (Benth.) Brenae.	kurupa'y, kurupa'y kuru (PY); angico-preto, angico, angico-preto-rajado, angico-rajado, guarapiraca (BR); cebil colorado, cebil moro, cebil (RA), (Kurupa'y kuru)	
270.	<b><i>Piptadenia rigida</i></b> Benth. Syn.: <i>Parapiptadenia rigida</i> (Benth.) Brenae.	kurupa'y ra (PY); angico-vermelho, angico-cedro, angico-rosa, angico-de-cortume (BR); anchico colorado, anchico, angico, kurupa'y ra (RA), (Kurupa'y ra)	
271.	<b><i>Piptadeniastrum africanum</i></b> (Hook.f.) Brenan Syn.: <i>Piptadenia africana</i> Hook.f.	dabema, dahoma (trade); mbele, guli (WAL); dabema (CI); dahoma (GH); agboin, ekhimi (WAN); mbeli (LB); atui (CAM); tom (GQ); toum (G); n'singa (ANG, RPC); bokungu, likundu (ZRE), (Dabema)	
272.	<b><i>Platanus</i> spp.</b>  <i>Platanus acerifolia</i> Wild. (Syn.: <i>P. orientalis</i> L. var. <i>acerifolia</i> Ait.) <i>Platanus occidentalis</i> L. <i>Platanus orientalis</i> L.	Platane, ahornblättrige Platane, abendländische Platane, morgenländische Platane (DE), platanier (FR), European plane (GB), sycamore, American sycamore (US), platano (IT), Europees platanen (NL), platán (H), (Platane, plane, sycamore)	
273.	<b><i>Platymiscium pinnatum</i></b> (Jacq.) Dugand	cristobal (CR); granadillo (MEX); hormigón (GCA); macacaúba, macawood (BR); roble (YV), (Cristobal, macacaúba)	
274.	<b><i>Pometia pinnata</i></b> J.R. Forster & J.G. Forster  incl. <i>Pometia ridleyi</i> King	kasai, matoa, Megan, taun (general); leungsir, tawan, ihi mendek (RI); sibu (MAL-Sar); malugai (RP); paga-nyet-su ava (BUR); chieng dong, kwaang (LAO); sai, daengnam (T), (Kasai, taun)	
275.	<b><i>Populus</i> spp.</b>	Zitterpappel, Aspe, Espe, Silberpappel, Euphrat-Pappel, Schwarzpappel (B), aspen, poplar, black poplar (GB), abeel espen, populieren (NL), peuplier, tremble (FR), titreh kavak (TR), pioppo tremolo (IT), álamo temblon (ES), topol cerny (CS), topola crna (YU), plop negru (RO), feketé nyér (H)	

– Deciduous tree species –			
No.	Scientific Name Synonyms & additional information	Translations	CITES
	incl. <i>P. alba</i> L., <i>P. canescens</i> Sm., <i>P. deltoides</i> Marsh., <i>P. grandidentata</i> Michx., <i>P. heterophylla</i> L., <i>P. nigra</i> L., <i>P. tremula</i> L., <i>P. tremuloides</i> Michx.	cottonwood (US), (Pappel, poplar)	
276.	<b><i>Prosopis nigra</i></b> (Griseb.) Hieron. Syn.: <i>P. algarrobilla</i> var. <i>nigra</i> Griseb.	algarrobo dulce, a. morado, a. negro (RA); a. amarillo (ROU), (Algarrobo negro)	
277.	<b><i>Prunus</i> spp.</b>		
277a	<i>Prunus avium</i> (L.) L.,	Kirsche, Kirschbaum, Süßkirsche, Vogelkirsche (DE), kersen (NL), cherry, gean, mazzard (GB), merisier (FR), ciliegio montano (IT), cerezo silvestre (ES), yabani fisne (TR), aaluh kak (Iran), mad rcseresznye (H), (Kirschbaum, cherry)	
277b	<i>Prunus serotina</i> Ehrh.		
278.	<b><i>Prunus</i> sp.</b> (Yvaro)	yvaro (PY)	
279.	<b><i>Pterocarpus indicus</i></b> Willd.	Amboina, narra, (Amboina, narra)	
280.	<b><i>Pterocarpus officinalis</i></b> Jacq., <i>P. rohrii</i> Vahl	sangre, sangre de drago, (Palo de sangre)	
281.	<b><i>Pterocarpus soyauxii</i></b> Taub.	Afrikanisches Padouk, Afrikanisches Korallenholz (DE), legno corallo (IT), African padouk, barwood, camwood (GB), bois corail, padouk (FR), Africaans padoek (NL), takula (ANG), m'bel, Ebeu (G), palo rojo (EGu), ba, corail, epion, mohingué, muengé, ndimbo (CAM), boisulu, kisésé, mukala (RPC), ngula, wele (ZRE), arapka, osun (WAN), (Padouk)	
282.	<b><i>Pterocarpus angolensis</i></b> DC.	muninga, mninga (EAT); girassonde (ANG); mulombwa (ZRE); mukwa (ZW); umbila, mbila (MOC); kiaat, kajat (RSA), (Muninga)	
283.	<b><i>Pterocarpus santalinus</i></b> L.	Rotes Sandelholz (DE); sandal rouge (FR); red sanders (GB, trade); sandalo rosso (IT); chandaman, panaka (IND).	
284.	<b><i>Pterocymbium</i> spp.</b>	Amberoi (trade); kelumbuk, papita (RI); melembu, teluto, keluak (MAL); taluto (RP); sawbya (BUR); oi-chang, po-ikeng, po-kradang (T), (Amberoi)	
284a	<i>Pterocymbium beccarii</i> K. Schumann		
284b	<i>Pterocymbium tinctorium</i> (Blanco) Merr.		
284c	<i>Pterocymbium tubulatum</i> (Masters) Pierre		
285.	<b><i>Pterogyne nitens</i></b> Tulasne	yvyraro (PY); viraro, tipa colorada, tipa, tipila, palo mortero, cocal, ibiraro, palo rosa, palo coca (RA); amendoim, amendoim bravo, viraro (BR), (Yvyraro)	
286.	<b><i>Pterospermum</i> spp.</b>	.(Bayur)	
286a	<i>Pterospermum acerifolium</i> Willd.		
286b	<i>Pterospermum canescens</i> Roxb		
286c	<i>Pterospermum elongatum</i> Korth		
286d	<i>Pterospermum javanicum</i> Jungh		
287.	<b><i>Pterygota bequaertii</i></b> De Wild., <b><i>P. macrocarpa</i></b> K. Schum.  Syn.: <i>Sterculia thompsonii</i> Hutch.&Dalz., <i>Pterygota cordifolia</i> A.Chev.	koto(DE, CI); akodiakédé, bofo ouale, bontue, pohoure, waré (CI); Pterygota (GB); awari, kyere, wawampe (GH); efok, kion (CAM); kefe, poroporo, oporipo (WAN); aké (G); ikame (ZRE);, kakende (RCA)	
288.	<b><i>Pycnanthus angolense</i></b> (Welw.) Warb. Syn.: <i>P. kombo</i> Warb., <i>Myristica angolensis</i> Welw., <i>Myristica kombo</i> Bail.	Ilomba (DE, FR, GB, G, CAM, RPC); adria, effoi, hétéré, qualélé, walélé (CI) cardwood (GB) otie, etsi (GH) dihn, dihin (LB) abora, akumu, ekom (WAN) bali, bamba, bokondo, ilimba, nesamba, teng, tian, (CAM) kombo, mulomba, (G) bosenga, lomba, thsimbuku, lusenga senga (RPC) mutuje (ANG) lolako (ZRE) gboyei (WAL) calabó (EGu), (Ilomba)	
289.	<b><i>Pyrus communis</i></b> L.  Incl. cultivars which are generically summarized under <i>P. communis</i> var. <i>sativa</i> .	Birnbäum, Schweizer Birnbäum (DE, CH, A), pear (GB), poirier (FR), peren (NL), pera, perastro (IT), pereira (P), peral (ES), körte (HU), grusza (PL), (Birnbäum, pear)	
290.	<b><i>Qualea</i> spp.</b>	mandioqueira, florecillo, (Cèdre gris, mandioqueira, quaruba rana)	
290a	<i>Qualea dinisii</i>		
290b	<i>Qualea paraensis</i>		
290c	<i>Qualea parviflora</i>		
290d	<i>Qualea rosea</i>		
291.	<b><i>Quercus</i> spp.</b> The trade timber 'mempening' also includes species of <i>Lithocarpus</i>	mempening oak, Sunda oak (trade); pasang (MAL, RI); ko (T), (Mempening, live oak)	
292.	<b><i>Quercus</i> spp.</b> [red oaks]	Roteiche (DE); Q. rubra: Roteiche, Amerikanische Roteiche (DE), Northern red oak (US), American red oak (GB), chêne rouge (FR), rood eiken (NL); Q. <i>falcata</i> : Southern red oak (US); Q. <i>cerris</i> : Zerreiche (DE).	
	<i>Quercus rubra</i> (Syn.: Q. <i>borealis</i> Michx. var. <i>maxima</i> (Marsh.) Ashe, Q. <i>maxima</i> (Marsh.) Ashe, <i>Erythrobalanus rubra</i> (L.) O.Schwarz	Roteiche, Amerikanische Roteiche (DE), Northern red oak (US), American red oak (GB), chêne rouge (FR), rood eiken (NL)	
	<i>Quercus cerris</i> L.	red oak (US)	
	<i>Quercus falcata</i> Michx.	Zerreiche (DE)	
293.	<b><i>Quercus</i> spp.</b> [white oaks]	Weißeiche (DE), European oak (GB), European white oak (US), Europees eiken (NL), farnia (IT), roble (ES)	
293a	<i>Quercus robur</i> L. (Syn.: Q. <i>pendunculata</i> Ehrh.);	Stieleiche, Sommereiche (DE)	
293b	<i>Quercus petraea</i> (Mattuscka) Liebl. (Syn.: Q. <i>sessiliflora</i> Salisb.)	Traubeneiche, Wintereiche, Spessarteiche (DE), Chêne pédonculé (FR)	
293c	<i>Quercus grosseserrata</i> Bl. ( Syn.: Q. <i>crispula</i> Bl., Q. <i>mongolica</i> Fisch. ex Turcz. var. <i>grosseserrata</i> (Bl.) Rehd. & Wils	Japanische Eiche (DE)	
293d	<i>Quercus alba</i> L.		

– Deciduous tree species –			
No.	Scientific Name Synonyms & additional information	Translations	CITES
293e	<i>Quercus muehlenbergii</i> Engelm.		
294.	<b>Rhamnus catharticus</b> L.	Kreuzdom (DE), buckthorn (GB)	
295.	<b>Rhamnus frangula</b> L.	Faulbaum (DE), alder buckthorn (GB)	
296.	<b>Rhizophora mangle</b> L. Syn.: <i>Bombax brevisuspe</i> Sprague, <i>B. chevalieri</i> Pellgr.	kondroti (FR, CI, DE), alone (DE, G, RPC), bombax (DE), akagaouan, kouobene (CI), kuntunkun, anyinakobin (GH), kingue, zuihn (LB), bouma, boumadanga (CAM), ogumalanga, koma (G), n'demo (RPC)	
297.	<b>Rhodognaphalon brevisuspe</b> (Sprague) Roberty	(Kondroti)	
298.	<b>Ricinodendron heudelotii</b> (Baill.) Pierre ex Pax Syn.: <i>R. africanum</i> Muell. Arg., <i>Jatropha heudelotii</i> Baill.	erimado (WAN); eho (CI); essessang (G); wama (GH); nsezang (GQ); sanga-sanga (RPC), (Erimado)	
299.	<b>Robinia pseudoacacia</b> L.	Robinie, Falsche Akazie, Akazie, Gemeiner Schotendorn (DE), robinier (FR), false acacia (GB), black locust, yellow locust (US), robinia (NL, I), ak t (CS), bagrem, robinija (YU), salcam (RO), akacja biala (PL), fehér akác (H), (Robinie, black locust)	
300.	<b>Roupala spp.</b>	(Louro faia)	
300a	<i>Roupala cordifolia</i> H.B.K.		
300b	<i>Roupala dissimilis</i> Pittier		
300c	<i>Roupala montana</i> Aubl		
301.	<b>Sacoglottis spp.</b>	South America: axuá, cumaté, uchi curuá, u. liso (BR); chanul (COL). Africa: ozouga (CAM, G); atala (WAN); ugu (BEN); amwan, amouan (CI); doh, déwe (LB, (Ozouga, uchi)	
301a	<i>Endopleura uchi</i> (Huber) Cuatrec. (syn.: <i>Sacoglottis uchi</i> Huber)		
301b	<i>Sacoglottis cydonioides</i> Cuatrec		
301c	<i>Sacoglottis gabonensis</i> (Baill.) Urban		
301d	<i>Sacoglottis guianensis</i> Benth		
302.	<b>Salix spp.</b>	Silberweide, Salweide, Korbweid u.a (DE); sauce, s. criollo (E, sAm); osier, willow (GB, US); osier, saule (FR); salcio, salice (IT); salgeiro, oeirana (BR); vrba bil (CS); vitpil (S); fehér füz (HU), (Weide, willow)	
302a	<i>Salix alba</i> L		
302b	<i>Salix babylonica</i> L		
302c	<i>Salix caprea</i> L		
302d	<i>Salix cinerea</i> L.		
302e	<i>Salix eleagnos</i> Scop		
302f	<i>Salix humboldtiana</i> Willd		
302g	<i>Salix nigra</i> Marsh		
302h	<i>Salix purpurea</i> L		
302i	<i>Salix triandra</i> L		
302j	<i>Salix viminalis</i> L		
303.	<b>Samanea saman</b> Merr. Syn.: <i>Pithecellobium saman</i> Benth	saman, carabali, (Saman, rain tree)	
304.	<b>Sapium spp.</b> [ASIA & AFRICA – old world species]		
304a	<i>S. baccatum</i> , <i>S. discolor</i> , <i>S. indicum</i> , <i>S. luzonicum</i> [ASIA]	ludai (MAL); lelun (BUR); bedi, ludahi (RI); balakat-sudat (RP); adamsali, larma (IND).	
304b	<i>S. armatum</i> , <i>S. ellipticum</i> [AFRICA]	ebusok (CAM); asepe (G); musasa (EAT)	
305.	<b>Sapium spp.</b> [AMERICA – new world species]		
	<i>S. aucuparium</i> , <i>S. bolivianum</i> , <i>S. jamaicensis</i> , <i>S. laurocerasum</i> , <i>S. longifolium</i> , <i>S. macrocarpum</i> , <i>S. marmieri</i> , <i>S. montevidense</i> , <i>S. stylare</i> , <i>S. utile</i>	Pao de leite (BR); lecherón (RA); leche-leche (BOL); leche (JAM); bois de soie (RH); piniche, lechuga, lechero (C); manzanillo (Puerto Rico); curupicay (PY); lechillo, palo de leche (CR); cautahon blanco, kautsu masa (PE); curupi (ROU); lechero (YV); barbusco, caucho blanco, palo de leche (ECU)	
306.	<b>Scaphium macropodum</b> (Miq.) Beumée ex K. Heyne	kembang semangkok (MAL); kapas-kapasan, merpayang (RI); shaw taung-thinbow (BUR); phungtalai, samrong (T), (Kembang semangkok)	
306a	<i>Scaphium borneensis</i>		
306b	<i>Scaphium linearicarpum</i>		
306c	<i>Scaphium longiflorum</i> ,		
306d	<i>Scaphium longipetiolatum</i>		
306e	<i>Scaphium scaphigerum</i>		
307.	<b>Schefflera morototoni</b> (Aubl.) Maguire, Steyerem. & Frodin Syn.: <i>Didymopanax morototoni</i> (Aubl.) Decne. & Planch.	amba'y guasu, amba'y, chipa rupa moroti (PY); amba'y guasu (RA); borracho, guitarrero (BOL); caixeta, mandioqueira, morototó, marupauva falso, matatauba, mucututu, mandiocai, sambacium, pixixica, cacheta(BR); candelero, roble, roble blanco, mirasol, chancarro blanco, mano de danta, pie de gallo, marota (MEX); sun sun, cafetero, tinajero (YV); pata de gallina, yarumero (CO); platanillo, suntuch (EC); karohoro (GUY); sacha-uva, anonilla (PE); yagrumo (C); guarumo macho (HCA); pavo (PA), (Morototó)	

– Deciduous tree species –			
No.	Scientific Name Synonyms & additional information	Translations	CITES
308.	<b><i>Schima wallichii</i></b> (DC.) Korth. Syn.: <i>S. crenata</i> Korth, <i>S. noronhae</i> Reinw. ex Blume, <i>S. superba</i>	puspa (RI); samak (MAL), (Samak, puspa)	
309.	<b><i>Schinopsis quebracho-colorado</i></b> (Schlttdl.) F.A.Barkley & T. Mey Syn.: <i>S. lorentzii</i> (Griseb.)Engl	coronillo, quebracho colorado santiagueño, quebracho macho , quebracho bolí(PY); quebracho santiagueño, quebracho colorado santiagueño, paag,(RA, (Coronillo)	
310.	<b><i>Shorea laevis</i></b> Ridl. Syn.: <i>S. laevifolia</i> (Parijs) Ender, <i>Hopea laevifolia</i> Parijs.	bangkirai, balau, selangan batu No.1 (trade, MAL, RI), (Balau, bangkirai)	
311.	<b><i>Shorea</i> spp. – subg. <i>Anthoshorea</i></b>	white meranti (MAL, RI, Handel); meranti putih, kayu tahan (RI); melapi (MAL-Sab, RI-Kal); white lauan (RP); lumbor (K); khiem kha nong, takhian-sai, chai, pa-nong (T); bo-bo (VN)	
311a	<i>Shorea assamica</i>		
311b	<i>Shorea bracteolate</i>		
311c	<i>Shorea dealbata</i>		
311d	<i>Shorea hypochra</i>		
311e	<i>Shorea javanica</i>		
311f	<i>Shorea lamellate</i>		
312.	<b><i>Shorea</i> spp. – subg. <i>Richetia</i></b>	yellow meranti (MAL, Handel); yellow seraya (MAL-Sab); yellow lauan (RP); meranti kuning (RI); meranti damar hitam (MAL); selangan kuning, s. kacha (MAL-Sab), (Yellow meranti, meranti kuning)	
312a	<i>Shorea acuminatissima</i>		
312b	<i>Shorea faquetiana</i>		
312c	<i>Shorea gibbosa</i>		
312d	<i>Shorea hopeifolia</i>		
312e	<i>Shorea multiflora</i>		
313.	<b><i>Shorea</i> spp. – subg. <i>Rubroshorea</i></b>	dark red meranti, seraya, lauan (DE); kawang, seraya bunga, red seraya, obar suluk (MAL.Sab.); mayapis, tangile, tiaong, red lauan, gujio (RP); meranti bunga, red meranti, meranti merah (RI); nemesu (MAL = <i>S. pauciflora</i> ), (Dark Red Meranti)	
313a	<i>Shorea curtisii</i> Dyer ex King,		
313b	<i>Shorea hemsleyana</i> (King) King ex Foxw.		
313c	<i>Shorea macrantha</i> Brandis		
313d	<i>Shorea pauciflora</i> King		
313e	<i>Shorea platyclados</i> v. Slooten ex Foxw.		
313f	<i>Shorea rugosa</i> var. <i>vuliginosa</i>		
313g	<i>Shorea singkawang</i> (Miq.) Miq		
314.	<b><i>Shorea ovata</i></b> Dyer ex Brandis Syn.: <i>S. agsaboensis</i>	meranti punai bukit, seraya punai bukit, dar red meranti, dark red seraya (MAL); mandirawan (RI, Sumatra), (Meranti punai bukit)	
315.	<b><i>Shorea</i> spp. – subg. <i>Rubroshorea</i></b>	light red meranti, seraya, lauan (DE); seraya kalabu, kawang, seraya bunga, red seraya, obar Suluk (MAL.Sab.); almon, mayapis, tangile, tiaong,Red lauan (RP); melantai (MAL.Sar.); meranti bunga, red meranti, meranti merah (RI, (Light Red Meranti)	
315a	<i>Shorea acuminata</i> Dyer		
315b	<i>Shorea dasyphylla</i> Foxw		
315c	<i>Shorea johorensis</i>		
315d	<i>Shorea lepidota</i> (Korth.) Bl		
315e	<i>Shorea macroptera</i> Dyer		
315f	<i>Shorea parvifolia</i> Dyer		
316.	<b><i>Shorea leprosula</i></b> Miq.	meranti tembaga, tembaga, light red meranti (MAL), meranti merah (RI), (Meranti tembaga, tembaga)	
317.	<b><i>Shorea</i> spp. – subg. <i>Rubroshorea</i></b>	red balau (DE, MAL), gujio (RP), semayur (MAL.Sar.), belangeran (RI), selangan batu merah (MAL-Sab./Sar.), (Red Balau)	
317a	<i>Shorea balangeran</i> (Korth.) Burck		
317b	<i>Shorea collina</i> Ridl.		
317c	<i>Shorea guiso</i> (Blco.) Bl. (Syn.: <i>S. vulgaris</i> Pierre ex Lanessan, <i>S. longipetala</i> Foxw., <i>Dipterocarpus guiso</i> Blanco, <i>Anisoptera guiso</i> A.DC.)		
317d	<i>Shorea kunstleri</i> King		
317e	<i>Shorea ochrophloia</i> E.J.S. ex Sym.		
318.	<b><i>Shorea</i> spp. – subg. <i>Shorea</i></b>	Balau, bangkirai balau, selangan batu No. 1, - No. 2 (MAL, DE), selangan batu tatuk, balau bukit, hitam, kumus hitam, laut, laut merah, sengkawang, damar laut (MAL), balau bunga, bangkirai, semantok lungkik (RI), yakal (RP), teng (T), (Balau, bangkirai)	
318a	<i>Shorea atrinervosa</i> Sym.		
318b	<i>Shorea brunnescens</i> ,		
318c	<i>Shorea crassa</i> Ashton		
318d	<i>Shorea exelliptica</i> Meijer		
318e	<i>Shorea foxworthyi</i> Sym.		
318f	<i>Shorea glauca</i> King		
318g	<i>Shorea havilandii</i> Brandis		
318h	<i>Shorea laevis</i> Ridl.		
318i	<i>Shorea leptoderma</i> Meijer		
318j	<i>Shorea maxwelliana</i> King		
318k	<i>Shorea materialis</i> Ridl		

– Deciduous tree species –			
No.	Scientific Name Synonyms & additional information	Translations	CITES
318l	<i>Shorea seminis</i> (de Vriese) v. Slooten		
318m	<i>Shorea submontana</i> Sym.		
318n	<i>Shorea sumatrana</i> (v. Sl. ex Foxw.) Sym		
318o	<i>Shorea superba</i> Sym.		
319.	<i>Sideroxylon obtusifolium</i> (Roem. & Schult.) Penn. Syn.: <i>Bumelia obtusifolia</i> Roem. et Schult	vyvra hu, vyvra jepoka (PY); ibira-niná, guaraniná, palo de lanza, horco molle, palo piedra(RA), (Yvyra hu)	
320.	<i>Simarouba amara</i> Aubl.	marupá, caixeta, cajú-rana, malacacheta, pitomba (BR), hualaja (PE), soemaroepa (SEM, NL), simaruba (DE, GB, YV), acajou blanc (GUFR, FR), bitterwood (US), (Simaruba, marupá)	
321.	<i>Sindora</i> spp.	sepetir, petir, meketil, saputi (MAL); sampar hantu (MAL-Sar); sindur, (Sepetir)	
321a	<i>Sindora bruggemanii</i>		
321b	<i>Sindora coriacea</i>		
321c	<i>Sindora supa</i>		
321d	<i>Sindora velutina</i>		
322.	<i>Sorbus aucuparia</i> L. + <i>S. aria</i> (L.) Crantz, <i>S. intermedia</i> (Ehrh.) Pers.	Mehlbeere (DE); alisier blanc (FR); whitebeam (GB); sorbo montano, farinaccio (IT); serbal blanco (ES), (Vogelbeere, Eberesche, rowan tree)	
323.	<i>Sorbus torminalis</i> (L.) Crantz Syn.: <i>Torminaria clusii</i> M. Roem	Elsbeere, Arlsbeere (DE); alisier, sorbier alisier (FR); checker tree, wild service tree (GB); baccarello, ciavardello (IT); aliso terminal, mostajo (ES); barkócafa (HU), (Elsbeere, service berry)	
324.	<i>Spondias mombin</i> L. (Jobo)	jobo, jobo macho, hobo colorado (COL); ubos, cedrillo, itahuba (BOL); ajuelo (EC); shungu, ushun (PE); jobo corronchoso, ciruelo de hueso, coropa (YV); taperiba (BR); jobito (C); jocote (CR); pok (GCA); monbin (RH)	
325.	<i>Sterculia apetala</i> (Jacq.) Karst.	chicha, camoruco, (Mahot blanc, cacao de monte)	
326.	<i>Swartzia fistuloides</i> Harms, <i>S. madagascariensis</i> (Taub.) Desv.	pau rosa, pau ferro (MOC); oken (G); boto (CI); n'guessa (RCA); kissamba (RPC); nsakala (ZRE), (Pau rosa)	
327.	<i>Swietenia macrophylla</i> King	Amerikanisches Mahagoni, echtes Mahagoni, Honduras-, Tabasco-, Nicaragua-Mahagoni (DE);, caoba (cAm), aguano (PA, PE, BR); orura (YV); zopilote (MEX); sapotón (SME); yulu (NIC), crura (BOL); acajou d'Amérique (FR), American mahogani, baywood (GB), broadleaf mahogany (US), (Echtes Mahagoni, true mahogany, caoba)	Annex III
327a	<i>Swietenia humilis</i>	Amerikanisches Mahagoni, echtes Mahagoni, Honduras-, Tabasco-, Nicaragua-Mahagoni (DE);, caoba (cAm), aguano (PA, PE, BR); orura (YV); zopilote (MEX); sapotón (SME); yulu (NIC), crura (BOL); acajou d'Amérique (FR), American mahogani, baywood (GB), broadleaf mahogany (US).	Annex II
327b	<i>Swietenia mahagoni</i>	Amerikanisches Mahagoni, echtes Mahagoni, Honduras-, Tabasco-, Nicaragua-Mahagoni (DE);, caoba (cAm), aguano (PA, PE, BR); orura (YV); zopilote (MEX); sapotón (SME); yulu (NIC), crura (BOL); acajou d'Amérique (FR), American mahogani, baywood (GB), broadleaf mahogany (US).	Annex II
328.	<i>Swintonia</i> spp.	merpauh (trade); selan (MAL-SWK); kaluis, lomaraú (RP); civit, taung-thayet (BUR); muom (K, VN)	
328a	<i>Swintonia floribunda</i>		
328b	<i>Swintonia schwenkii</i>		
329.	<i>Symphonia globulifera</i> L.	machare, tomento, azufre (COL); laurel de monte, brea amarilla (BOL); zaputi (EC); brea caspi (PE); peramancillo (YV); manúi (GUY); ossol (G); chewstick, barillo (HCA); boar wood, hog gum (JA); matakki (SME, (Manil)	
330.	<i>Tabebuia rosea</i> (Bert.) DC. Syn.: <i>Tecoma rosea</i> Bertol	roble de sabana, apamate, rosa morada, (Rosa morada)	
331.	<i>Tabebuia</i> spp.	ipé, capitary, carobeira, pau d'arco (BR); arco, canugate, guyacán (CO); arahonie, ebéne vert (FGU); taiy (PY); groenheart (SME); arcwood, bastard lignum vitae (US), (Ipé, lapacho, pau d'arco).	
331a	<i>Tabebuia heptaphylla</i> (Vell.) Toledo (Syn.: <i>T. ipe</i> (Mart.) Standl., <i>Tecoma ipe</i> Mart.)		
331b	<i>Tabebuia serratifolia</i> (Vahl) Nichols. (Syn.: <i>Tecoma serratifolia</i> G. Don).		
332.	<i>Tachigalia</i> spp.	tachi (taxi) branco, t. preto, t. preto folha grande (BR); caracha-caspi (PE), (Tachi branco, t. preto)	
332a	<i>Tachigalia myrmecophila</i> Ducke		
332b	<i>Tachigalia paniculata</i> Aubl.		
333.	<i>Tapirira guianensis</i> Aubl.	tatapiririca, cedro-i, cupiúva, pau pombo, peito de pomba, jobo (BR); duka, waramia (GUY); weti-oedoe, ook doka (SME); isaparitsi (PE), (Tatapiririca)	
334.	<i>Tectona grandis</i> L.	teak (DE, GB, NL, WAN), Indien-, Burma-, Java-, Laos-, Thailand-, Rangoon-Teak (DE), teck (FR, I), kyun (BU), gia thi (VN), tadi, tek, sagwan (IND), djati (RI, MAL), kembal, semarang (RI), may sak (LAO, K, T), jat, sak (T), djatti (G), teca (ES), (Teak, jati)	
335.	<i>Terminalia amazonia</i> (Gmel.) Exell + <i>T. guianensis</i> Aubl	pardillo amarillo, amarillón, (Nargusta, amarillo)	
336.	<i>Terminalia ivorensis</i> A. Chev.	framiré (B, DE, FR, NL), idigbo (FR, GH, WAN, GB), agni, bouna, boti, cauri, fela, mboti, onidjo (CI), emeri, emil, frameri (GH), lidia (CAM), deohr (LB), black afara, kokango, mboti, ubiri (WAN), treme (WAN, US), bassi (WAL), (Framiré)	
337.	<i>Terminalia superba</i> Engl. & Diels Syn.: <i>T. altissima</i> A.Chev.	limba (ANG, DE, ZRE), limba blanc, limba clair (FR) limbo (RPC), white afara (GB), fraké (CI), akom (CAM, EGu), afara (WAN) efram (GH) moulimba (ANG); ( for dark (discoloured) limba: limba noir, limba bariolé, noyer du Mayombe (FR)); egoin (WAN) framo, ekblale, farayen frameri (GH), baye (LB), bagi, kojagei, bili (WAL) fram tra (CI), nkom, bakome, end, mukonja, akom (CAM), ndimba (RPC), chène-limbo (trade), (Limba)	
338.	<i>Tetraberlinia bifoliolata</i> , <i>T. tubmanniana</i> Syn.: <i>Berlinia bifoliolata</i> Harms.	ekaba (GQ, E, trade); hoh, sikon, gola (LB); ekop, ekop-ribi (CAM); eko-andoung (G); tetraberlinia (GB), (Ekaba)	

– Deciduous tree species –			
No.	Scientific Name Synonyms & additional information	Translations	CITES
339.	<b><i>Tetramerista glabra</i> Miq.</b> Syn.: <i>Mimusops africana</i> Lecomte, <i>Dumoria africana</i> A. Chev. ( <i>T. africana</i> ); <i>Mimusops heckelii</i> Hutch & Dalz., <i>Dumoria heckelii</i> A. Chev. ( <i>T. heckelii</i> ).	punah (MAL), entuyut (MAL-Sar), tuyut (MAL-Sab); punak (RI), (Punah)	
340.	<b><i>Tieghemella africana</i> Pierre,</b> <b><i>T. heckelii</i> Pierre ex A. Chev.</b>	douka (B, DE, FR, G, EGu, CAM, NL), bavili, fang, n'duka, okalla (G), duka (IT), okola (G, EGu), T. heckelii: makoré (WAL, CI, GH, GB, FR, DE) butusu, dumori (CI), baku, abacu, makori (GH), aganokwe, aganope (WAN), kondofindo (ZRE), (Makoré)	
340a	<i>T. africana</i> Sun: <i>Mimusops africana</i> Lecomte, <i>Dumoria africana</i> A. Chev.	douka (B, DE, FR, G, EGu, CAM, NL), bavili, fang, n'duka, okalla (G), duka (IT), okola (G, EGu),	
340b	<i>T. heckelii</i> Syn: <i>Mimusops heckelii</i> Hutch & Dalz, <i>Dumoria heckelii</i> A. Chev.	makoré (WAL, CI, GH, GB, FR, DE) butusu, dumori (CI), baku, abacu, makori (GH), aganokwe, aganope (WAN), kondofindo (ZRE).	
341.	<b><i>Tilia</i> spp.</b>	Linde (DE); lime tree (GB); tilleul (FR); linden (NL); basswood, beetro, linn wahoo, wichup (US), (Linde, lime, basswood)	
341a	<i>Tilia cordata</i> Mill. (Syn.: <i>T. parvifolia</i> )	Winterlinde (DE)	
341b	<i>Tilia platyphyllos</i> Scop. (Syn: <i>T. grandifolia</i> )	Sommerlinde (DE)	
341c	<i>Tilia americana</i> L		
341d	<i>Tilia glabra</i> Vent		
342.	<b><i>Triplochiton scleroxylon</i> K. Schum.</b>	abachi (DE), obeche (WAN, B), wawa (GH, GB), ayous (FR, G, CAM), samba (CI, FR), (Abachi, ayous, obeche, samba, wawa)	
343.	<b><i>Trochodendron aralioides</i></b>	(Yama-gumura)	
344.	<b><i>Turraeanthus africanus</i> (Welw. ex DC.)</b> Pelleg. Syn.: <i>T. zenkeri</i> Harms, <i>T. vignei</i> Hutch. & Dalz., <i>T. klainei</i> Pierre ex De Wild., <i>Guarea africana</i> Welw	avodiré (DE, CI, FR, GB, NL), agbé, agbouain, Kakné (CI), apapaye, wansenwa (GH), apaya (WAN), engan (CAM), esu, kisanda, lusamba (ZRE), songo (RCA), (Avodiré)	
345.	<b><i>Ulmus</i> spp.</b>		
345a	<i>Ulmus campestris</i> (L.) Spach. (Syn.: <i>Ulmus carpiniifolia</i> Gled., <i>Ulmus campestris</i> Sm. var. <i>vulgaris</i> Planch.)	Feldulme, Rüster (DE); Dutch elm (GB, US); Europees iepen (NL); orme champetre (FR); olmo campestre (IT); olmo comune; (ES) jilm polni; (CS) wiaz (PL); ulm de camp (RO); mezei szil (H); harunire (J).	
345b	<i>Ulmus americana</i> L. (Syn.: <i>Ulmus americana</i> var. <i>americana</i> )	white elm, American elm (US, GB); orme d'Amérique (FR)	
346.	<b><i>Upuna borneensis</i> Sym.</b>	upun, upun batu, penyau (MAL); balau penyau, cangal tanduk, penyau tanduk (RI), (Upun)	
347.	<b><i>Virola</i> spp.</b>	bicuiba, bucuva, bucuvcú (BR); sebo, otober, nu namo (COL); virola ( trade, . ( <i>Virola</i> , bicuiba)	
347a	<i>Virola carinata</i>		
347b	<i>Virola cuspidata</i>		
347c	<i>Virola elongata</i>		
347d	<i>Virola flexuosa</i>		
347e	<i>Virola gardneri</i>		
347f	<i>Virola kukachkana</i>		
347g	<i>Virola michelii</i>		
347h	<i>Virola multicostata</i>		
347i	<i>Virola pavonis</i>		
347j	<i>Virola sebifera</i>		
347k	<i>Virola surinamensis</i>		
348.	<b><i>Vitex</i> spp.</b>	laban, guapasa, ketileng, serawet (RI); leban, kulim papa (MAL); garamut (PNG); molawe, bongoog (RP); kyetyo (BUR); tinnok (T); binh linh (VN), (Leban)	
348a	<i>Vitex cofassus</i> Reinw.ex.Bl		
348b	<i>Vitex glabrata</i> R.Br		
348c	<i>Vitex parviflora</i> Juss		
348d	<i>Vitex pubescens</i> Vah		
348e	<i>Vitex quinata</i> F.N. Will		
348f	<i>Vitex rufa</i> A. Chev.		
348g	<i>Vitex triflora</i> Hub		
348h	<i>Vitex velutina</i> Koord		
348i	<i>Vitex vestita</i> Wall		
349.	<b><i>Vochysia</i> spp.</b>	quaruba, tin-tin, (Quaruba)	
349a	<i>Vochysia citrifolia</i>		
349b	<i>Vochysia densiflora</i>		
349c	<i>Vochysia divergens</i>		
349d	<i>Vochysia diversa</i>		
349e	<i>Vochysia duquei</i>		
349f	<i>Vochysia ferruginea</i>		
349g	<i>Vochysia guianensis</i>		
349h	<i>Vochysia guatemalensis</i>		
349i	<i>Vochysia hondurensis</i>		
349j	<i>Vochysia lanceolata</i>		
349k	<i>Vochysia leguiana</i>		
349l	<i>Vochysia lehmannii</i> ,		
349m	<i>Vochysia maxima</i>		
349n	<i>Vochysia obidensis</i>		
349o	<i>Vochysia obscura</i>		



– Deciduous tree species –			
No.	Scientific Name Synonyms & additional information	Translations	CITES
349p	<i>Vochysia tetraphylla</i>		
349q	<i>Vochysia tomentosa</i>		
<b>350.</b>	<b><i>Xylocarpus spp.</i></b>		
350a	<i>Xylocarpus granatum</i> Koenig	mangove cedar, pussur wood (GB); tabigi (RP); kra buun, ta buun (T); niri, n. batu, nyirih gundik (RI); kyana, kyatnan, pinle-on (BUR) (Miri, nyireh)	
350b	<i>Xylocarpus mollucensis</i> (Lamk.) Roem		